

3.5 mm LCP® Proximal Tibia Plating Systems

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322
To order (Canada): 855-946-8999

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

3.5 mm Cortex Screws, self-tapping



	Length		Length
<input type="checkbox"/>	204.810	<input type="checkbox"/>	204.830
<input type="checkbox"/>	204.812	<input type="checkbox"/>	204.832
<input type="checkbox"/>	204.814	<input type="checkbox"/>	204.834
<input type="checkbox"/>	204.816	<input type="checkbox"/>	204.836
<input type="checkbox"/>	204.818	<input type="checkbox"/>	204.838
<input type="checkbox"/>	204.820	<input type="checkbox"/>	204.840
<input type="checkbox"/>	204.822	<input type="checkbox"/>	204.845
<input type="checkbox"/>	204.824	<input type="checkbox"/>	204.850
<input type="checkbox"/>	204.826	<input type="checkbox"/>	204.855
<input type="checkbox"/>	204.828	<input type="checkbox"/>	204.860

4.0 mm Cancellous Bone Screws, partially threaded



	Length		Length
<input type="checkbox"/>	207.010	<input type="checkbox"/>	207.028
<input type="checkbox"/>	207.012	<input type="checkbox"/>	207.030
<input type="checkbox"/>	207.014	<input type="checkbox"/>	207.035
<input type="checkbox"/>	207.016	<input type="checkbox"/>	207.040
<input type="checkbox"/>	207.018	<input type="checkbox"/>	207.045
<input type="checkbox"/>	207.020	<input type="checkbox"/>	207.050
<input type="checkbox"/>	207.022	<input type="checkbox"/>	207.055
<input type="checkbox"/>	207.024	<input type="checkbox"/>	207.060
<input type="checkbox"/>	207.026		

3.5 mm Locking Screws, self-tapping, with StarDrive™ Recess



	Length		Length
<input type="checkbox"/>	212.101	<input type="checkbox"/>	212.121
<input type="checkbox"/>	212.102	<input type="checkbox"/>	212.122
<input type="checkbox"/>	212.103	<input type="checkbox"/>	212.123
<input type="checkbox"/>	212.104	<input type="checkbox"/>	212.124
<input type="checkbox"/>	212.105	<input type="checkbox"/>	212.125
<input type="checkbox"/>	212.106	<input type="checkbox"/>	212.126
<input type="checkbox"/>	212.107	<input type="checkbox"/>	212.127
<input type="checkbox"/>	212.108	<input type="checkbox"/>	212.128
<input type="checkbox"/>	212.109	<input type="checkbox"/>	212.129
<input type="checkbox"/>	212.110	<input type="checkbox"/>	212.130
<input type="checkbox"/>	212.111	<input type="checkbox"/>	212.131
<input type="checkbox"/>	212.112	<input type="checkbox"/>	212.134
<input type="checkbox"/>	212.113	<input type="checkbox"/>	212.136
<input type="checkbox"/>	212.114	<input type="checkbox"/>	02.212.054
<input type="checkbox"/>	212.115	<input type="checkbox"/>	02.212.056
<input type="checkbox"/>	212.116	<input type="checkbox"/>	02.212.058
<input type="checkbox"/>	212.117		
<input type="checkbox"/>	212.118		
<input type="checkbox"/>	212.119		

4.0 mm Cancellous Screws, fully threaded



	Length		Length
<input type="checkbox"/>	206.010	<input type="checkbox"/>	206.028
<input type="checkbox"/>	206.012	<input type="checkbox"/>	206.030
<input type="checkbox"/>	206.014	<input type="checkbox"/>	206.035
<input type="checkbox"/>	206.016	<input type="checkbox"/>	206.040
<input type="checkbox"/>	206.018	<input type="checkbox"/>	206.045
<input type="checkbox"/>	206.020	<input type="checkbox"/>	206.050
<input type="checkbox"/>	206.022	<input type="checkbox"/>	206.055
<input type="checkbox"/>	206.024	<input type="checkbox"/>	206.060
<input type="checkbox"/>	206.026		

3.5 mm LCP Proximal Tibia Plating Systems

Implants (cont'd)

3.5 mm Conical Screws, self-tapping, fully threaded



	Length		Length
<input type="checkbox"/>	212.317 40 mm	<input type="checkbox"/>	212.326 70 mm
<input type="checkbox"/>	212.319 45 mm	<input type="checkbox"/>	212.327 75 mm
<input type="checkbox"/>	212.321 50 mm	<input type="checkbox"/>	212.328 80 mm
<input type="checkbox"/>	212.323 55 mm	<input type="checkbox"/>	212.329 85 mm
<input type="checkbox"/>	212.324 60 mm	<input type="checkbox"/>	212.330 90 mm
<input type="checkbox"/>	212.325 65 mm	<input type="checkbox"/>	212.331 95 mm

3.5 mm Conical Screws, self-tapping, partially threaded



	Length		Length
<input type="checkbox"/>	212.417 40 mm	<input type="checkbox"/>	212.426 70 mm
<input type="checkbox"/>	212.419 45 mm	<input type="checkbox"/>	212.427 75 mm
<input type="checkbox"/>	212.421 50 mm	<input type="checkbox"/>	212.428 80 mm
<input type="checkbox"/>	212.423 55 mm	<input type="checkbox"/>	212.429 85 mm
<input type="checkbox"/>	212.424 60 mm	<input type="checkbox"/>	212.430 90 mm
<input type="checkbox"/>	212.425 65 mm	<input type="checkbox"/>	212.431 95 mm

3.5 mm LCP® Medial Proximal Tibia Plates

	Holes	Length	
<input type="checkbox"/>	239.954 4	93 mm	right
<input type="checkbox"/>	239.955 4	93 mm	left
<input type="checkbox"/>	239.956 6	119 mm	right
<input type="checkbox"/>	239.957 6	119 mm	left
<input type="checkbox"/>	239.958 8	145 mm	right
<input type="checkbox"/>	239.959 8	145 mm	left
<input type="checkbox"/>	239.960 10	171 mm	right
<input type="checkbox"/>	239.961 10	171 mm	left
<input type="checkbox"/>	239.962 12	197 mm	right
<input type="checkbox"/>	239.963 12	197 mm	left
<input type="checkbox"/>	239.964 14	223 mm	right
<input type="checkbox"/>	239.965 14	223 mm	left
<input type="checkbox"/>	239.966 16	249 mm	right
<input type="checkbox"/>	239.967 16	249 mm	left
<input type="checkbox"/>	239.968 18	275 mm	right
<input type="checkbox"/>	239.969 18	275 mm	left
<input type="checkbox"/>	239.970 20	301 mm	right
<input type="checkbox"/>	239.971 20	301 mm	left



3.5 mm LCP Proximal Tibia Plates

	Holes	Length	
<input type="checkbox"/>	239.934 4	81 mm	right
<input type="checkbox"/>	239.935 4	81 mm	left
<input type="checkbox"/>	239.936 6	107 mm	right
<input type="checkbox"/>	239.937 6	107 mm	left
<input type="checkbox"/>	239.938 8	133 mm	right
<input type="checkbox"/>	239.939 8	133 mm	left
<input type="checkbox"/>	239.940 10	159 mm	right
<input type="checkbox"/>	239.941 10	159 mm	left
<input type="checkbox"/>	239.942 12	185 mm	right
<input type="checkbox"/>	239.943 12	185 mm	left
<input type="checkbox"/>	239.944 14	211 mm	right
<input type="checkbox"/>	239.945 14	211 mm	left
<input type="checkbox"/>	239.946 16	237 mm	right
<input type="checkbox"/>	239.947 16	237 mm	left



3.5 mm LCP Proximal Tibia Plates, low bend

	Holes	Length	
<input type="checkbox"/>	02.124.200 4	76 mm	right
<input type="checkbox"/>	02.124.201 4	76 mm	left
<input type="checkbox"/>	02.124.204 6	102 mm	right
<input type="checkbox"/>	02.124.205 6	102 mm	left
<input type="checkbox"/>	02.124.208 8	128 mm	right
<input type="checkbox"/>	02.124.209 8	128 mm	left
<input type="checkbox"/>	02.124.212 10	154 mm	right
<input type="checkbox"/>	02.124.213 10	154 mm	left
<input type="checkbox"/>	02.124.216 12	180 mm	right
<input type="checkbox"/>	02.124.217 12	180 mm	left
<input type="checkbox"/>	02.124.220 14	206 mm	right
<input type="checkbox"/>	02.124.221 14	206 mm	left
<input type="checkbox"/>	02.124.224 16	232 mm	right
<input type="checkbox"/>	02.124.225 16	232 mm	left



3.5 mm LCP Posteromedial Proximal Tibia Plates


	Holes	Length
<input type="checkbox"/>	02.120.701 1	69 mm
<input type="checkbox"/>	02.120.702 2	79 mm
<input type="checkbox"/>	02.120.704 4	105 mm
<input type="checkbox"/>	02.120.706 6	131 mm
<input type="checkbox"/>	02.120.708 8	157 mm
<input type="checkbox"/>	02.120.710 10	183 mm



Inventory Control Form


3.5 mm LCP Proximal Tibia Plating Systems

Miscellaneous Implants


<input type="text"/>	219.98	Washer, 7.0 mm	
<input type="text"/>	292.20	2.0 mm K-wire, 150 mm, 10/pkg.	

Instruments

Drill Bits, quick coupling

			
		Diameter	Length
<input type="text"/>	310.25	2.5 mm	110 mm, gold
<input type="text"/>	310.288	2.8 mm	165 mm
<input type="text"/>	310.35	3.5 mm	110 mm
<input type="text"/>	324.214	2.8 mm	200 mm, 100 mm calibration
<input type="text"/>	324.211	2.8 mm	300 mm, 200 calibration
<input type="text"/>	03.122.002	2.8 mm	248 mm, 95 mm calibration

Taps

		
<input type="text"/>	311.32	for 3.5 mm Cortex Screws, 110 mm
<input type="text"/>	311.34	for 4.0 mm Cancellous Bone Screws, 110 mm

Bending Template

		
<input type="text"/>	329.903	for 3.5 mm Proximal Tibia Plates

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada.
Please contact your sales consultant for items approved for sale in Canada.



Manufactured or distributed by:

Synthes USA Products, LLC
1302 Wrights Lane East
West Chester, PA 19380

Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 855-946-8999

Note: For recognized manufacturer, refer to the product label.

www.depuyssynthes.com