

Inventory Control Form

3.5 mm Titanium LCP® Proximal Tibia Plating Systems

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 855-946-8999

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

3.5 mm Titanium Cortex Screws, self-tapping



	Length		Length
<input type="checkbox"/>	404.810	<input type="checkbox"/>	404.830
<input type="checkbox"/>	404.812	<input type="checkbox"/>	404.832
<input type="checkbox"/>	404.814	<input type="checkbox"/>	404.834
<input type="checkbox"/>	404.816	<input type="checkbox"/>	404.836
<input type="checkbox"/>	404.818	<input type="checkbox"/>	404.838
<input type="checkbox"/>	404.820	<input type="checkbox"/>	404.840
<input type="checkbox"/>	404.822	<input type="checkbox"/>	404.845
<input type="checkbox"/>	404.824	<input type="checkbox"/>	404.850
<input type="checkbox"/>	404.826	<input type="checkbox"/>	404.855
<input type="checkbox"/>	404.828	<input type="checkbox"/>	

4.0 mm Titanium Cancellous Bone Screws, partially threaded



	Length		Length
<input type="checkbox"/>	407.010	<input type="checkbox"/>	407.045
<input type="checkbox"/>	407.012	<input type="checkbox"/>	407.050
<input type="checkbox"/>	407.014	<input type="checkbox"/>	407.055
<input type="checkbox"/>	407.016	<input type="checkbox"/>	407.060
<input type="checkbox"/>	407.018	<input type="checkbox"/>	407.065
<input type="checkbox"/>	407.020	<input type="checkbox"/>	407.070
<input type="checkbox"/>	407.022	<input type="checkbox"/>	407.075
<input type="checkbox"/>	407.024	<input type="checkbox"/>	407.080
<input type="checkbox"/>	407.026	<input type="checkbox"/>	407.085
<input type="checkbox"/>	407.028	<input type="checkbox"/>	407.090
<input type="checkbox"/>	407.030	<input type="checkbox"/>	407.095
<input type="checkbox"/>	407.035	<input type="checkbox"/>	407.100
<input type="checkbox"/>	407.040	<input type="checkbox"/>	

3.5 mm Titanium Cortex Screws, self-tapping, with StarDrive™ Recess



	Length		Length
<input type="checkbox"/>	04.200.020	<input type="checkbox"/>	04.200.038
<input type="checkbox"/>	04.200.022	<input type="checkbox"/>	04.200.040
<input type="checkbox"/>	04.200.024	<input type="checkbox"/>	04.200.042
<input type="checkbox"/>	04.200.026	<input type="checkbox"/>	04.200.044
<input type="checkbox"/>	04.200.028	<input type="checkbox"/>	04.200.046
<input type="checkbox"/>	04.200.030	<input type="checkbox"/>	04.200.048
<input type="checkbox"/>	04.200.032	<input type="checkbox"/>	04.200.050
<input type="checkbox"/>	04.200.034	<input type="checkbox"/>	04.200.055
<input type="checkbox"/>	04.200.036	<input type="checkbox"/>	04.200.060

4.0 mm Titanium Cancellous Bone Screws, fully threaded



	Length		Length
<input type="checkbox"/>	406.010	<input type="checkbox"/>	406.040
<input type="checkbox"/>	406.012	<input type="checkbox"/>	406.045
<input type="checkbox"/>	406.014	<input type="checkbox"/>	406.050
<input type="checkbox"/>	406.016	<input type="checkbox"/>	406.055
<input type="checkbox"/>	406.018	<input type="checkbox"/>	406.060
<input type="checkbox"/>	406.020	<input type="checkbox"/>	406.065
<input type="checkbox"/>	406.022	<input type="checkbox"/>	406.070
<input type="checkbox"/>	406.024	<input type="checkbox"/>	406.075
<input type="checkbox"/>	406.026	<input type="checkbox"/>	406.080
<input type="checkbox"/>	406.028	<input type="checkbox"/>	406.085
<input type="checkbox"/>	406.030	<input type="checkbox"/>	406.090
<input type="checkbox"/>	406.032	<input type="checkbox"/>	406.095
<input type="checkbox"/>	406.035	<input type="checkbox"/>	406.100
<input type="checkbox"/>	406.038	<input type="checkbox"/>	

Inventory Control Form

3.5 mm Titanium LCP Proximal Tibia Plating Systems

Implants (cont'd)

3.5 mm Titanium Locking Screws, self-tapping, with StarDrive Recess



	Length		Length		
<input type="checkbox"/>	412.101	10 mm	<input type="checkbox"/>	412.119	45 mm
<input type="checkbox"/>	412.102	12 mm	<input type="checkbox"/>	412.121	50 mm
<input type="checkbox"/>	412.103	14 mm	<input type="checkbox"/>	412.122	52 mm
<input type="checkbox"/>	412.104	16 mm	<input type="checkbox"/>	412.123	55 mm
<input type="checkbox"/>	412.105	18 mm	<input type="checkbox"/>	412.124	60 mm
<input type="checkbox"/>	412.106	20 mm	<input type="checkbox"/>	412.125	65 mm
<input type="checkbox"/>	412.107	22 mm	<input type="checkbox"/>	412.126	70 mm
<input type="checkbox"/>	412.108	24 mm	<input type="checkbox"/>	412.127	75 mm
<input type="checkbox"/>	412.109	26 mm	<input type="checkbox"/>	412.128	80 mm
<input type="checkbox"/>	412.110	28 mm	<input type="checkbox"/>	412.129	85 mm
<input type="checkbox"/>	412.111	30 mm	<input type="checkbox"/>	412.130	90 mm
<input type="checkbox"/>	412.112	32 mm	<input type="checkbox"/>	412.131	95 mm
<input type="checkbox"/>	412.113	34 mm	<input type="checkbox"/>	412.134	44 mm
<input type="checkbox"/>	412.114	35 mm	<input type="checkbox"/>	412.136	46 mm
<input type="checkbox"/>	412.115	36 mm	<input type="checkbox"/>	04.212.054	54 mm
<input type="checkbox"/>	412.116	38 mm	<input type="checkbox"/>	04.212.056	56 mm
<input type="checkbox"/>	412.117	40 mm	<input type="checkbox"/>	04.212.058	58 mm
<input type="checkbox"/>	412.118	42 mm			

3.5 mm Titanium Conical Screws, self-tapping, with StarDrive Recess, fully threaded



	Length		Length		
<input type="checkbox"/>	412.317	40 mm	<input type="checkbox"/>	412.326	70 mm
<input type="checkbox"/>	412.319	45 mm	<input type="checkbox"/>	412.327	75 mm
<input type="checkbox"/>	412.321	50 mm	<input type="checkbox"/>	412.328	80 mm
<input type="checkbox"/>	412.323	55 mm	<input type="checkbox"/>	412.329	85 mm
<input type="checkbox"/>	412.324	60 mm	<input type="checkbox"/>	412.330	90 mm
<input type="checkbox"/>	412.325	65 mm	<input type="checkbox"/>	412.331	95 mm

3.5 mm Titanium Conical Screws, self-tapping, with StarDrive Recess, partially threaded



	Length		Length		
<input type="checkbox"/>	412.417	40 mm	<input type="checkbox"/>	412.426	70 mm
<input type="checkbox"/>	412.419	45 mm	<input type="checkbox"/>	412.427	75 mm
<input type="checkbox"/>	412.421	50 mm	<input type="checkbox"/>	412.428	80 mm
<input type="checkbox"/>	412.423	55 mm	<input type="checkbox"/>	412.429	85 mm
<input type="checkbox"/>	412.424	60 mm	<input type="checkbox"/>	412.430	90 mm
<input type="checkbox"/>	412.425	65 mm	<input type="checkbox"/>	412.431	95 mm

3.5 mm Titanium LCP® Posteromedial Proximal Tibia Plates

	Holes	Length
<input type="checkbox"/>	04.120.701	1 69 mm
<input type="checkbox"/>	04.120.702	2 79 mm
<input type="checkbox"/>	04.120.704	4 105 mm
<input type="checkbox"/>	04.120.706	6 131 mm
<input type="checkbox"/>	04.120.708	8 157 mm
<input type="checkbox"/>	04.120.710	10 183 mm



3.5 mm Titanium LCP Medial Proximal Tibia Plates

	Holes	Length	
<input type="checkbox"/>	439.954	4 94 mm	right
<input type="checkbox"/>	439.955	4 94 mm	left
<input type="checkbox"/>	439.956	6 119 mm	right
<input type="checkbox"/>	439.957	6 119 mm	left
<input type="checkbox"/>	439.958	8 145 mm	right
<input type="checkbox"/>	439.959	8 145 mm	left
<input type="checkbox"/>	439.960	10 171 mm	right
<input type="checkbox"/>	439.961	10 171 mm	left
<input type="checkbox"/>	439.962	12 197 mm	right
<input type="checkbox"/>	439.963	12 197 mm	left
<input type="checkbox"/>	439.964	14 223 mm	right
<input type="checkbox"/>	439.965	14 223 mm	left
<input type="checkbox"/>	439.966	16 249 mm	right
<input type="checkbox"/>	439.967	16 249 mm	left
<input type="checkbox"/>	439.968	18 275 mm	right
<input type="checkbox"/>	439.969	18 275 mm	left
<input type="checkbox"/>	439.970	20 301 mm	right
<input type="checkbox"/>	439.971	20 301 mm	left



Inventory Control Form

3.5 mm Titanium LCP Proximal Tibia Plating Systems

Implants (cont'd)

3.5 mm Titanium LCP Proximal Tibia Plates

	Holes	Length	
<input type="checkbox"/>	4	81 mm	right
<input type="checkbox"/>	4	81 mm	left
<input type="checkbox"/>	6	107 mm	right
<input type="checkbox"/>	6	107 mm	left
<input type="checkbox"/>	8	133 mm	right
<input type="checkbox"/>	8	133 mm	left
<input type="checkbox"/>	10	159 mm	right
<input type="checkbox"/>	10	159 mm	left
<input type="checkbox"/>	12	185 mm	right
<input type="checkbox"/>	12	185 mm	left
<input type="checkbox"/>	14	211 mm	right
<input type="checkbox"/>	14	211 mm	left
<input type="checkbox"/>	16	237 mm	right
<input type="checkbox"/>	16	237 mm	left



3.5 mm LCP Proximal Tibia Plates, low bend

	Holes	Length	
<input type="checkbox"/>	4	76 mm	right
<input type="checkbox"/>	4	76 mm	left
<input type="checkbox"/>	6	102 mm	right
<input type="checkbox"/>	6	102 mm	left
<input type="checkbox"/>	8	128 mm	right
<input type="checkbox"/>	8	128 mm	left
<input type="checkbox"/>	10	154 mm	right
<input type="checkbox"/>	10	154 mm	left
<input type="checkbox"/>	12	180 mm	right
<input type="checkbox"/>	12	180 mm	left
<input type="checkbox"/>	14	206 mm	right
<input type="checkbox"/>	14	206 mm	left
<input type="checkbox"/>	16	232 mm	right
<input type="checkbox"/>	16	232 mm	left



Miscellaneous Implants

<input type="checkbox"/>	419.98	Titanium Washer, 7.0 mm
<input type="checkbox"/>	492.20	2.0 mm Titanium Kirschner Wire, 150 mm, 10/pkg.



Instruments

Drill Bits, quick coupling

	Diameter	Length
<input type="checkbox"/>	2.5 mm	110 mm, gold
<input type="checkbox"/>	2.8 mm	165 mm
<input type="checkbox"/>	3.5 mm	110 mm
<input type="checkbox"/>	2.8 mm	200 mm, 100 mm calibration



Taps

<input type="checkbox"/>	311.32	for 3.5 mm Cortex Screws
<input type="checkbox"/>	311.34	for 4.0 mm Cancellous Bone Screws



Bending Template

<input type="checkbox"/>	329.903	for 3.5 mm Proximal Tibia Plates
--------------------------	---------	----------------------------------



Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada.
Please contact your sales consultant for items approved for sale in Canada.



Manufactured or distributed by:

Synthes USA Products, LLC
1302 Wrights Lane East
West Chester, PA 19380

Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 855-946-8999

Note: For recognized manufacturer, refer to the product label.

www.depuyssynthes.com