

# Inventory Control Form

## Modular Mini Fragment LCP System

### 2.0 mm, 2.4 mm and 2.7 mm Implants



Patient Information:

Synthes (USA) To Order: (800) 523-0322  
 Synthes (Canada) Ltd. To Order: (800) 668-1119

Date: \_\_\_\_\_  
 Hospital: \_\_\_\_\_  
 Surgeon: \_\_\_\_\_  
 Procedure: \_\_\_\_\_

## Implants

### 2.0 mm Cortex Screws, self-tapping, T6 StarDrive recess



		LENGTH			LENGTH
<input type="checkbox"/>	201.356.97	6 mm	<input type="checkbox"/>	201.370.97	20 mm
<input type="checkbox"/>	201.357.97	7 mm	<input type="checkbox"/>	201.372.97	22 mm
<input type="checkbox"/>	201.358.97	8 mm	<input type="checkbox"/>	201.374.97	24 mm
<input type="checkbox"/>	201.359.97	9 mm	<input type="checkbox"/>	201.375.97	26 mm
<input type="checkbox"/>	201.360.97	10 mm	<input type="checkbox"/>	201.376.97	28 mm
<input type="checkbox"/>	201.361.97	11 mm	<input type="checkbox"/>	201.377.97	30 mm
<input type="checkbox"/>	201.362.97	12 mm	<input type="checkbox"/>	201.378.97	32 mm
<input type="checkbox"/>	201.363.97	13 mm	<input type="checkbox"/>	201.379.97	34 mm
<input type="checkbox"/>	201.364.97	14 mm	<input type="checkbox"/>	201.380.97	36 mm
<input type="checkbox"/>	201.366.97	16 mm	<input type="checkbox"/>	201.381.97	38 mm
<input type="checkbox"/>	201.368.97	18 mm	<input type="checkbox"/>	201.382.97	40 mm

### 2.4 mm Cortex Screws, self-tapping, T8 StarDrive recess



		LENGTH			LENGTH
<input type="checkbox"/>	201.756	6 mm	<input type="checkbox"/>	201.770	20 mm
<input type="checkbox"/>	201.757	7 mm	<input type="checkbox"/>	201.772	22 mm
<input type="checkbox"/>	201.758	8 mm	<input type="checkbox"/>	201.774	24 mm
<input type="checkbox"/>	201.759	9 mm	<input type="checkbox"/>	201.776	26 mm
<input type="checkbox"/>	201.760	10 mm	<input type="checkbox"/>	201.778	28 mm
<input type="checkbox"/>	201.761	11 mm	<input type="checkbox"/>	201.780	30 mm
<input type="checkbox"/>	201.762	12 mm	<input type="checkbox"/>	201.782	32 mm
<input type="checkbox"/>	201.763	13 mm	<input type="checkbox"/>	201.784	34 mm
<input type="checkbox"/>	201.764	14 mm	<input type="checkbox"/>	201.786	36 mm
<input type="checkbox"/>	201.766	16 mm	<input type="checkbox"/>	201.788	38 mm
<input type="checkbox"/>	201.768	18 mm	<input type="checkbox"/>	201.790	40 mm

### 2.0 mm Locking Screws, self-tapping, T6 StarDrive recess



		LENGTH			LENGTH
<input type="checkbox"/>	201.876	6 mm	<input type="checkbox"/>	201.886	16 mm
<input type="checkbox"/>	201.877	7 mm	<input type="checkbox"/>	201.888	18 mm
<input type="checkbox"/>	201.878	8 mm	<input type="checkbox"/>	201.890	20 mm
<input type="checkbox"/>	201.879	9 mm	<input type="checkbox"/>	201.892	22 mm
<input type="checkbox"/>	201.880	10 mm	<input type="checkbox"/>	201.894	24 mm
<input type="checkbox"/>	201.881	11 mm	<input type="checkbox"/>	201.896	26 mm
<input type="checkbox"/>	201.882	12 mm	<input type="checkbox"/>	201.898	28 mm
<input type="checkbox"/>	201.883	13 mm	<input type="checkbox"/>	201.900	30 mm
<input type="checkbox"/>	201.884	14 mm			

### 2.4 mm Locking Screws, self-tapping, T8 StarDrive recess



		LENGTH			LENGTH
<input type="checkbox"/>	212.806	6 mm	<input type="checkbox"/>	212.816	16 mm
<input type="checkbox"/>	212.807	7 mm	<input type="checkbox"/>	212.818	18 mm
<input type="checkbox"/>	212.808	8 mm	<input type="checkbox"/>	212.820	20 mm
<input type="checkbox"/>	212.809	9 mm	<input type="checkbox"/>	212.822	22 mm
<input type="checkbox"/>	212.810	10 mm	<input type="checkbox"/>	212.824	24 mm
<input type="checkbox"/>	212.811	11 mm	<input type="checkbox"/>	212.826	26 mm
<input type="checkbox"/>	212.812	12 mm	<input type="checkbox"/>	212.828	28 mm
<input type="checkbox"/>	212.813	13 mm	<input type="checkbox"/>	212.830	30 mm
<input type="checkbox"/>	212.814	14 mm			

# Inventory Control Form

## Modular Mini Fragment LCP System 2.0 mm, 2.4 mm and 2.7 mm Implants

### Implants (cont'd)

#### 2.7 mm Cortex Screws, self-tapping, T8 StarDrive recess



	LENGTH		LENGTH		
<input type="checkbox"/>	202.870	10 mm	<input type="checkbox"/>	202.894	34 mm
<input type="checkbox"/>	202.872	12 mm	<input type="checkbox"/>	202.896	36 mm
<input type="checkbox"/>	202.874	14 mm	<input type="checkbox"/>	202.898	38 mm
<input type="checkbox"/>	202.876	16 mm	<input type="checkbox"/>	202.900	40 mm
<input type="checkbox"/>	202.878	18 mm	<input type="checkbox"/>	202.962	42 mm
<input type="checkbox"/>	202.880	20 mm	<input type="checkbox"/>	202.963	44 mm
<input type="checkbox"/>	202.882	22 mm	<input type="checkbox"/>	202.965	46 mm
<input type="checkbox"/>	202.884	24 mm	<input type="checkbox"/>	202.966	48 mm
<input type="checkbox"/>	202.886	26 mm	<input type="checkbox"/>	202.967	50 mm
<input type="checkbox"/>	202.888	28 mm	<input type="checkbox"/>	202.968	55 mm
<input type="checkbox"/>	202.890	30 mm	<input type="checkbox"/>	202.969	60 mm
<input type="checkbox"/>	202.892	32 mm			

#### 2.7 mm Locking Screws, self-tapping, T8 StarDrive recess



	LENGTH		LENGTH		
<input type="checkbox"/>	202.210	10 mm	<input type="checkbox"/>	202.234	34 mm
<input type="checkbox"/>	202.212	12 mm	<input type="checkbox"/>	202.236	36 mm
<input type="checkbox"/>	202.214	14 mm	<input type="checkbox"/>	202.238	38 mm
<input type="checkbox"/>	202.216	16 mm	<input type="checkbox"/>	202.240	40 mm
<input type="checkbox"/>	202.218	18 mm	<input type="checkbox"/>	202.242	42 mm
<input type="checkbox"/>	202.220	20 mm	<input type="checkbox"/>	202.244	44 mm
<input type="checkbox"/>	202.222	22 mm	<input type="checkbox"/>	202.246	46 mm
<input type="checkbox"/>	202.224	24 mm	<input type="checkbox"/>	202.248	48 mm
<input type="checkbox"/>	202.226	26 mm	<input type="checkbox"/>	202.250	50 mm
<input type="checkbox"/>	202.228	28 mm	<input type="checkbox"/>	202.255	55 mm
<input type="checkbox"/>	202.230	30 mm	<input type="checkbox"/>	202.260	60 mm
<input type="checkbox"/>	202.232	32 mm			

#### 2.0 mm LCP Plates



	HOLES	LENGTH	
<input type="checkbox"/>	247.344	4	31 mm
<input type="checkbox"/>	247.345	5	38 mm
<input type="checkbox"/>	247.346	6	45 mm
<input type="checkbox"/>	247.347	7	52 mm
<input type="checkbox"/>	247.348	8	59 mm
<input type="checkbox"/>	247.360	10	73 mm

#### 2.0 mm LCP Condylar Plate



	SHAFT HOLES	LENGTH	
<input type="checkbox"/>	247.349	7	54 mm

#### 2.0 mm LCP Adaption Plate



	SHAFT HOLES	LENGTH	
<input type="checkbox"/>	247.362	12	81 mm

#### 2.0 mm LCP T-Plate, 3 holes head



	SHAFT HOLES	LENGTH	
<input type="checkbox"/>	247.615	7	53 mm

#### 2.0 mm LCP T-Plate, 2 holes head



	SHAFT HOLES	LENGTH	
<input type="checkbox"/>	247.351	7	53 mm

#### 2.0 mm LCP Y-Plate, 3 holes head



	SHAFT HOLES	LENGTH	
<input type="checkbox"/>	247.350	7	55 mm

# Inventory Control Form

## Modular Mini Fragment LCP System

### 2.0 mm, 2.4 mm and 2.7 mm Implants

#### Implants (cont'd)

##### 2.4 mm LCP Plates



		HOLES	LENGTH
<input type="checkbox"/>	249.674	4	36 mm
<input type="checkbox"/>	247.375	5	44 mm
<input type="checkbox"/>	249.676	6	52 mm
<input type="checkbox"/>	247.377	7	60 mm
<input type="checkbox"/>	249.678	8	68 mm
<input type="checkbox"/>	247.364	10	84 mm

##### 2.7 mm LCP Plates



		HOLES	LENGTH
<input type="checkbox"/>	249.680	4	40 mm
<input type="checkbox"/>	249.681	5	49 mm
<input type="checkbox"/>	249.682	6	58 mm
<input type="checkbox"/>	249.683	7	67 mm
<input type="checkbox"/>	247.372	8	76 mm
<input type="checkbox"/>	247.374	10	94 mm

##### 2.4 mm LCP Condylar Plate



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.679	7	59 mm

##### 2.7 mm LCP L-Plates, right, 2 holes head



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.688	3	32 mm
<input type="checkbox"/>	249.701	4	40 mm

##### 2.4 mm LCP Adaption Plate



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	247.366	12	88 mm

##### 2.7 mm LCP L-Plates, left, 2 holes head

		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.689	3	32 mm
<input type="checkbox"/>	249.702	4	40 mm

##### 2.4 mm LCP T-Plate, 3 holes head



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.615	7	58 mm

##### 2.7 mm LCP L-Plates, oblique right, 2 holes head



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.686	3	35 mm
<input type="checkbox"/>	249.698	4	42 mm

##### 2.4 mm LCP T-Plate, 2 holes head



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.670	7	58 mm

##### 2.7 mm LCP L-Plates, oblique left, 2 holes head

		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.687	3	35 mm
<input type="checkbox"/>	249.699	4	42 mm

##### 2.4 mm LCP Y-Plate, 3 holes head



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.669	7	60 mm

##### 2.7 mm LCP Condylar Plate



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.684	7	66 mm

##### 2.7 mm LCP Adaption Plate



		SHAFT HOLES	LENGTH
<input type="checkbox"/>	247.370	12	97 mm

# Inventory Control Form

## Modular Mini Fragment LCP System 2.0 mm, 2.4 mm and 2.7 mm Implants

### Implants (cont'd)

#### 2.7 mm LCP T-Plates, 2 holes head

		SHAFT HOLES	LENGTH
<input type="checkbox"/>	249.685	3	32 mm
<input type="checkbox"/>	249.697	4	40 mm



### Instruments

#### Drill Bits

		DIAMETER	LENGTH
<input type="checkbox"/>	310.201	2.0 mm	65 mm
<input type="checkbox"/>	310.507	1.5 mm	96 mm
<input type="checkbox"/>	310.509	1.8 mm	110 mm
<input type="checkbox"/>	310.530	2.4 mm	100 mm
<input type="checkbox"/>	310.26	2.7 mm	100 mm
<input type="checkbox"/>	323.062	2.0 mm	140 mm

#### Kirschner Wires, Trocar Point (10/pkg.)

		DIAMETER	LENGTH
<input type="checkbox"/>	292.08	0.8 mm	70 mm
<input type="checkbox"/>	292.10	1.0 mm	150 mm
<input type="checkbox"/>	292.12	1.25 mm	150 mm
<input type="checkbox"/>	292.16	1.6 mm	150 mm
<input type="checkbox"/>	292.20	2.0 mm	150 mm