

Titanium Variable Angle LCP® Distal Radius Plates

Case Information (eg, Case ID):

DO NOT PUT ANY
PATIENT IDENTIFIABLE
INFORMATION IN
THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 855-946-8999

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

2.4 mm Titanium VA LCP® Narrow Two-Column Volar Distal Radius Plates



			Head Holes	Shaft Holes	Length
<input type="checkbox"/>	04.111.520	right	6	2	42 mm
<input type="checkbox"/>	04.111.521	left	6	2	42 mm
<input type="checkbox"/>	04.111.530	right	6	3	51 mm
<input type="checkbox"/>	04.111.531	left	6	3	51 mm
<input type="checkbox"/>	04.111.540	right	6	4	63 mm
<input type="checkbox"/>	04.111.541	left	6	4	63 mm
<input type="checkbox"/>	04.111.550	right	6	5	72 mm
<input type="checkbox"/>	04.111.551	left	6	5	72 mm

2.4/2.7 mm Titanium VA LCP Two-Column Volar Distal Radius Plate, Extra-Long*



		Head Type	Head Right/Left	Head Holes	Shaft Holes	Length
<input type="checkbox"/>	04.111.570S	Narrow	Right	6	7	105 mm
<input type="checkbox"/>	04.111.571S	Narrow	Left	6	7	105 mm
<input type="checkbox"/>	04.111.670S	Standard	Right	6	7	109 mm
<input type="checkbox"/>	04.111.671S	Standard	Left	6	7	109 mm
<input type="checkbox"/>	04.111.680S	Standard	Right	6	10	145 mm
<input type="checkbox"/>	04.111.681S	Standard	Left	6	10	145 mm
<input type="checkbox"/>	04.111.690S	Standard	Right	6	13	186 mm
<input type="checkbox"/>	04.111.691S	Standard	Left	6	13	186 mm
<input type="checkbox"/>	04.111.770S	Wide	Right	7	7	110 mm
<input type="checkbox"/>	04.111.771S	Wide	Left	7	7	110 mm

2.4 mm Titanium VA LCP Two-Column Volar Distal Radius Plates



			Head Holes	Shaft Holes	Length
<input type="checkbox"/>	04.111.620	right	6	2	45 mm
<input type="checkbox"/>	04.111.621	left	6	2	45 mm
<input type="checkbox"/>	04.111.630	right	6	3	54 mm
<input type="checkbox"/>	04.111.631	left	6	3	54 mm
<input type="checkbox"/>	04.111.640	right	6	4	66 mm
<input type="checkbox"/>	04.111.641	left	6	4	66 mm
<input type="checkbox"/>	04.111.650	right	6	5	75 mm
<input type="checkbox"/>	04.111.651	left	6	5	75 mm
<input type="checkbox"/>	04.111.720	right	7	2	47 mm
<input type="checkbox"/>	04.111.721	left	7	2	47 mm
<input type="checkbox"/>	04.111.730	right	7	3	55 mm
<input type="checkbox"/>	04.111.731	left	7	3	55 mm
<input type="checkbox"/>	04.111.740	right	7	4	68 mm
<input type="checkbox"/>	04.111.741	left	7	4	68 mm
<input type="checkbox"/>	04.111.750	right	7	5	77 mm
<input type="checkbox"/>	04.111.751	left	7	5	77 mm

2.4 mm Titanium VA LCP Dorsal Distal Radius Plate, Radial Column



		Holes	Length (mm)
<input type="checkbox"/>	04.115.530	5	46
<input type="checkbox"/>	04.115.540	6	57

*Available sterile only.

Titanium Variable Angle LCP Distal Radius Plates

Implants (cont'd)

2.4 mm Titanium VA LCP Dorsal Distal Radius Plate, Intermediate Column



		Shaft Holes	Length (mm)	Angled
<input type="checkbox"/>	04.115.630	3	41	+90°
<input type="checkbox"/>	04.115.631	3	41	-90°
<input type="checkbox"/>	04.115.640	4	49	+90°
<input type="checkbox"/>	04.115.641	4	49	-90°

2.4 mm Titanium VA LCP Dorsal Distal Radius L-Plate, 2 holes head



		Shaft Holes	Length (mm)	Angled
<input type="checkbox"/>	04.115.130	3	37	+90°
<input type="checkbox"/>	04.115.131	3	37	-90°
<input type="checkbox"/>	04.115.150	5	51	+90°
<input type="checkbox"/>	04.115.151	5	51	-90°

2.4 mm Titanium VA LCP Dorsal Distal Radius L-Plate, 3 holes head



		Shaft Holes	Length (mm)	Angled
<input type="checkbox"/>	04.115.230	3	37	+90°
<input type="checkbox"/>	04.115.231	3	37	-90°
<input type="checkbox"/>	04.115.250	5	51	+90°
<input type="checkbox"/>	04.115.251	5	51	-90°

2.4 mm Titanium VA LCP Dorsal Distal Radius L-Plate, oblique, 3 holes head



		Shaft Holes	Length (mm)	Angled
<input type="checkbox"/>	04.115.430	3	41	+20°
<input type="checkbox"/>	04.115.431	3	41	-20°
<input type="checkbox"/>	04.115.450	5	55	+20°
<input type="checkbox"/>	04.115.451	5	55	-20°

2.4 mm Titanium VA LCP Dorsal Distal Radius T-Plate, 3 holes head



		Shaft Holes	Length (mm)
<input type="checkbox"/>	04.115.330	3	37
<input type="checkbox"/>	04.115.350	5	51

2.4 mm Titanium VA LCP Volar Rim Distal Radius Plates



		Shaft Holes	Head Holes	Length
<input type="checkbox"/>	04.115.750	5	6	57 mm, right
<input type="checkbox"/>	04.115.751	5	6	57 mm, left
<input type="checkbox"/>	04.115.850	5	7	57 mm, right
<input type="checkbox"/>	04.115.851	5	7	57 mm, left

2.4 mm Titanium VA LCP Extra-Articular Volar Distal Radius Plates



			Head Type	Shaft Holes	Length
<input type="checkbox"/>	04.110.201	right	5	3	48 mm
<input type="checkbox"/>	04.110.203	left	5	3	48 mm
<input type="checkbox"/>	04.110.202	right	5	5	66 mm
<input type="checkbox"/>	04.110.204	left	5	5	66 mm
<input type="checkbox"/>	04.110.205	right	4	3	45 mm
<input type="checkbox"/>	04.110.207	left	4	3	45 mm
<input type="checkbox"/>	04.110.206	right	4	5	66 mm
<input type="checkbox"/>	04.110.208	left	4	5	66 mm

2.4 mm Titanium Variable Angle Locking Screws, with T8 STARDRIVE™ Recess



		Length			Length
<input type="checkbox"/>	04.210.108	8 mm	<input type="checkbox"/>	04.210.120	20 mm
<input type="checkbox"/>	04.210.110	10 mm	<input type="checkbox"/>	04.210.122	22 mm
<input type="checkbox"/>	04.210.112	12 mm	<input type="checkbox"/>	04.210.124	24 mm
<input type="checkbox"/>	04.210.114	14 mm	<input type="checkbox"/>	04.210.126	26 mm
<input type="checkbox"/>	04.210.116	16 mm	<input type="checkbox"/>	04.210.128	28 mm
<input type="checkbox"/>	04.210.118	18 mm	<input type="checkbox"/>	04.210.130	30 mm

2.4 mm Titanium Cortex Screw, self-tapping, with T8 STARDRIVE Recess



		Length			Length
<input type="checkbox"/>	401.756	6 mm	<input type="checkbox"/>	401.770	20 mm
<input type="checkbox"/>	401.758	8 mm	<input type="checkbox"/>	401.772	22 mm
<input type="checkbox"/>	401.760	10 mm	<input type="checkbox"/>	401.774	24 mm
<input type="checkbox"/>	401.762	12 mm	<input type="checkbox"/>	401.776	26 mm
<input type="checkbox"/>	401.764	14 mm	<input type="checkbox"/>	401.778	28 mm
<input type="checkbox"/>	401.766	16 mm	<input type="checkbox"/>	401.780	30 mm
<input type="checkbox"/>	401.768	18 mm			

Titanium Variable Angle LCP Distal Radius Plates

Implants (cont'd)

2.7 mm Titanium Cortex Screw, self-tapping, with T8 STARDRIVE Recess



	Length		Length
<input type="checkbox"/>	402.870	<input type="checkbox"/>	402.882
<input type="checkbox"/>	402.872	<input type="checkbox"/>	402.884
<input type="checkbox"/>	402.874	<input type="checkbox"/>	402.886
<input type="checkbox"/>	402.876	<input type="checkbox"/>	402.888
<input type="checkbox"/>	402.878	<input type="checkbox"/>	402.890
<input type="checkbox"/>	402.880		

2.4 mm Titanium Locking Screw, self-tapping, with T8 STARDRIVE Recess



	Length		Length
<input type="checkbox"/>	412.806	<input type="checkbox"/>	412.820
<input type="checkbox"/>	412.808	<input type="checkbox"/>	412.822
<input type="checkbox"/>	412.810	<input type="checkbox"/>	412.824
<input type="checkbox"/>	412.812	<input type="checkbox"/>	412.826
<input type="checkbox"/>	412.814	<input type="checkbox"/>	412.828
<input type="checkbox"/>	412.816	<input type="checkbox"/>	412.830
<input type="checkbox"/>	412.818		

1.8 mm Titanium Variable Angle Locking Buttress Pins, with T8 STARDRIVE Recess



	Length		Length
<input type="checkbox"/>	04.210.078	<input type="checkbox"/>	04.210.090
<input type="checkbox"/>	04.210.080	<input type="checkbox"/>	04.210.092
<input type="checkbox"/>	04.210.082	<input type="checkbox"/>	04.210.094
<input type="checkbox"/>	04.210.084	<input type="checkbox"/>	04.210.096
<input type="checkbox"/>	04.210.086	<input type="checkbox"/>	04.210.098
<input type="checkbox"/>	04.210.088	<input type="checkbox"/>	04.210.100

Instruments

Drill Bits



<input type="checkbox"/>	310.19	2.0 mm, quick coupling, 100 mm
<input type="checkbox"/>	310.26	2.7 mm, quick coupling, 100 mm
<input type="checkbox"/>	310.509	1.8 mm with depth mark, quick coupling, 110 mm
<input type="checkbox"/>	310.530	2.4 mm, quick coupling, 100 mm

Plate Reduction Wires



<input type="checkbox"/>	02.111.500.10	1.25 Plate Reduction Wire, threaded top with small stop, 150 mm
--------------------------	---------------	---



<input type="checkbox"/>	02.111.501.10	1.25 Plate Reduction Wire, threaded top with large stop, 150 mm
--------------------------	---------------	---

Kirschner Wires



<input type="checkbox"/>	492.12	1.25 mm Kirschner Wire, 150 mm, trocar point, 10/pkg.
<input type="checkbox"/>	492.16	1.6 mm Kirschner Wire, 150 mm, trocar point, 10/pkg.
<input type="checkbox"/>	04.110.300	1.8 mm Kirschner Wire with trocar point, 150 mm

Sizing Template Set

<input type="checkbox"/>	03.111.121S	Sizing Template Set for 2.4/2.7 mm VA LCP Two-Column Volar Distal Radius Plate, Extra-long, Sterile
--------------------------	-------------	---

Some devices in this form may not have been licensed in accordance with Canadian law and may not be for sale in Canada. Please contact your sales consultant for items approved for sale in Canada.

Manufactured or distributed by:

Synthes USA Products, LLC
1302 Wrights Lane East
West Chester, PA 19380

Synthes USA, LLC
1101 Synthes Avenue
Monument, CO 80132

To order (USA): 800-523-0322
To order (Canada): 855-946-8999

Note: For recognized manufacturer, refer to the product label.

www.depuyssynthes.com