

INVENTORY CONTROL FORM



PART OF THE Johnson & Johnson FAMILY OF COMPANIES

Universal Small Fragment System

LCP® Standard Plates Set 01.133.207

Case ID:

To Order (USA): (800) 523-0322
To Order (Canada): (844) 243-4321

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

3.5 mm LCP® Plate

<input type="checkbox"/>	223.551	5 holes, 72 mm
<input type="checkbox"/>	223.561	6 holes, 85 mm
<input type="checkbox"/>	223.571	7 holes, 98 mm
<input type="checkbox"/>	223.581	8 holes, 111 mm
<input type="checkbox"/>	223.591	9 holes, 124 mm
<input type="checkbox"/>	223.601	10 holes, 137 mm
<input type="checkbox"/>	223.621	12 holes, 163 mm
<input type="checkbox"/>	223.641	14 holes, 189 mm



3.5 mm One-Third Tubular LCP® Plate

<input type="checkbox"/>	241.351	5 holes	<input type="checkbox"/>	241.381	8 holes
<input type="checkbox"/>	241.361	6 holes	<input type="checkbox"/>	241.401	10 holes
<input type="checkbox"/>	241.371	7 holes	<input type="checkbox"/>	241.421	12 holes



3.5 mm LCP® T-Plate, Right Angle

<input type="checkbox"/>	241.131	3 head holes, 3 shaft holes, 50 mm
<input type="checkbox"/>	241.151	3 head holes, 5 shaft holes, 67 mm




2.7 mm LCP® Plate

<input type="checkbox"/>	249.680	4 holes, 40 mm
<input type="checkbox"/>	249.681	5 holes, 49 mm
<input type="checkbox"/>	249.682	6 holes, 58 mm
<input type="checkbox"/>	249.683	7 holes, 67 mm
<input type="checkbox"/>	247.372	8 holes, 76 mm
<input type="checkbox"/>	247.374	10 holes, 94 mm



2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	202.210	10 mm	<input type="checkbox"/>	202.234	34 mm
<input type="checkbox"/>	202.212	12 mm	<input type="checkbox"/>	202.236	36 mm
<input type="checkbox"/>	202.214	14 mm	<input type="checkbox"/>	202.238	38 mm
<input type="checkbox"/>	202.216	16 mm	<input type="checkbox"/>	202.240	40 mm
<input type="checkbox"/>	202.218	18 mm	<input type="checkbox"/>	202.242	42 mm
<input type="checkbox"/>	202.220	20 mm	<input type="checkbox"/>	202.244	44 mm
<input type="checkbox"/>	202.222	22 mm	<input type="checkbox"/>	202.246	46 mm
<input type="checkbox"/>	202.224	24 mm	<input type="checkbox"/>	202.248	48 mm
<input type="checkbox"/>	202.226	26 mm	<input type="checkbox"/>	202.250	50 mm
<input type="checkbox"/>	202.228	28 mm	<input type="checkbox"/>	202.255	55 mm
<input type="checkbox"/>	202.230	30 mm	<input type="checkbox"/>	202.260	60 mm
<input type="checkbox"/>	202.232	32 mm			

2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	202.870	10 mm	<input type="checkbox"/>	202.894	34 mm
<input type="checkbox"/>	202.872	12 mm	<input type="checkbox"/>	202.896	36 mm
<input type="checkbox"/>	202.874	14 mm	<input type="checkbox"/>	202.898	38 mm
<input type="checkbox"/>	202.876	16 mm	<input type="checkbox"/>	202.900	40 mm
<input type="checkbox"/>	202.878	18 mm	<input type="checkbox"/>	202.962	42 mm
<input type="checkbox"/>	202.880	20 mm	<input type="checkbox"/>	202.963	44 mm
<input type="checkbox"/>	202.882	22 mm	<input type="checkbox"/>	202.965	46 mm
<input type="checkbox"/>	202.884	24 mm	<input type="checkbox"/>	202.966	48 mm
<input type="checkbox"/>	202.886	26 mm	<input type="checkbox"/>	202.967	50 mm
<input type="checkbox"/>	202.888	28 mm	<input type="checkbox"/>	202.968	55 mm
<input type="checkbox"/>	202.890	30 mm	<input type="checkbox"/>	202.969	60 mm
<input type="checkbox"/>	202.892	32 mm			

INVENTORY CONTROL FORM




PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Universal Small Fragment System

LCP® Standard Plates Set 01.133.207

Implants (continued)

2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess




<input type="checkbox"/>	02.211.010	10 mm	<input type="checkbox"/>	02.211.036	36 mm
<input type="checkbox"/>	02.211.012	12 mm	<input type="checkbox"/>	02.211.038	38 mm
<input type="checkbox"/>	02.211.014	14 mm	<input type="checkbox"/>	02.211.040	40 mm
<input type="checkbox"/>	02.211.016	16 mm	<input type="checkbox"/>	02.211.042	42 mm
<input type="checkbox"/>	02.211.018	18 mm	<input type="checkbox"/>	02.211.044	44 mm
<input type="checkbox"/>	02.211.020	20 mm	<input type="checkbox"/>	02.211.046	46 mm
<input type="checkbox"/>	02.211.022	22 mm	<input type="checkbox"/>	02.211.048	48 mm
<input type="checkbox"/>	02.211.024	24 mm	<input type="checkbox"/>	02.211.050	50 mm
<input type="checkbox"/>	02.211.026	26 mm	<input type="checkbox"/>	02.211.052	52 mm
<input type="checkbox"/>	02.211.028	28 mm	<input type="checkbox"/>	02.211.054	54 mm
<input type="checkbox"/>	02.211.030	30 mm	<input type="checkbox"/>	02.211.056	56 mm
<input type="checkbox"/>	02.211.032	32 mm	<input type="checkbox"/>	02.211.058	58 mm
<input type="checkbox"/>	02.211.034	34 mm	<input type="checkbox"/>	02.211.060	60 mm

2.7 mm Cortex Screws, Self-Tapping, 2.5 mm Hex Recess



<input type="checkbox"/>	202.810	10 mm	<input type="checkbox"/>	202.830	30 mm
<input type="checkbox"/>	202.812	12 mm	<input type="checkbox"/>	202.832	32 mm
<input type="checkbox"/>	202.814	14 mm	<input type="checkbox"/>	202.834	34 mm
<input type="checkbox"/>	202.816	16 mm	<input type="checkbox"/>	202.836	36 mm
<input type="checkbox"/>	202.818	18 mm	<input type="checkbox"/>	202.838	38 mm
<input type="checkbox"/>	202.820	20 mm	<input type="checkbox"/>	202.840	40 mm
<input type="checkbox"/>	202.822	22 mm	<input type="checkbox"/>	202.845	45 mm
<input type="checkbox"/>	202.824	24 mm	<input type="checkbox"/>	202.850	50 mm
<input type="checkbox"/>	202.826	26 mm	<input type="checkbox"/>	202.855	55 mm
<input type="checkbox"/>	202.828	28 mm			

2.7 mm Metaphyseal Screw, Self-Tapping, with T8 StarDrive™ Recess



<input type="checkbox"/>	02.118.510	10 mm	<input type="checkbox"/>	02.118.536	36 mm
<input type="checkbox"/>	02.118.512	12 mm	<input type="checkbox"/>	02.118.538	38 mm
<input type="checkbox"/>	02.118.514	14 mm	<input type="checkbox"/>	02.118.540	40 mm
<input type="checkbox"/>	02.118.516	16 mm	<input type="checkbox"/>	02.118.542	42 mm
<input type="checkbox"/>	02.118.518	18 mm	<input type="checkbox"/>	02.118.544	44 mm
<input type="checkbox"/>	02.118.520	20 mm	<input type="checkbox"/>	02.118.546	46 mm
<input type="checkbox"/>	02.118.522	22 mm	<input type="checkbox"/>	02.118.548	48 mm
<input type="checkbox"/>	02.118.524	24 mm	<input type="checkbox"/>	02.118.550	50 mm
<input type="checkbox"/>	02.118.526	26 mm	<input type="checkbox"/>	02.118.552	52 mm
<input type="checkbox"/>	02.118.528	28 mm	<input type="checkbox"/>	02.118.554	54 mm
<input type="checkbox"/>	02.118.530	30 mm	<input type="checkbox"/>	02.118.556	56 mm
<input type="checkbox"/>	02.118.532	32 mm	<input type="checkbox"/>	02.118.558	58 mm
<input type="checkbox"/>	02.118.534	34 mm	<input type="checkbox"/>	02.118.560	60 mm

3.5 mm Cortex Screw, Self-Tapping, 2.5 mm Hex Recess



<input type="checkbox"/>	204.810	10 mm	<input type="checkbox"/>	204.834	34 mm
<input type="checkbox"/>	204.812	12 mm	<input type="checkbox"/>	204.836	36 mm
<input type="checkbox"/>	204.814	14 mm	<input type="checkbox"/>	204.838	38 mm
<input type="checkbox"/>	204.816	16 mm	<input type="checkbox"/>	204.840	40 mm
<input type="checkbox"/>	204.818	18 mm	<input type="checkbox"/>	204.842	42 mm
<input type="checkbox"/>	204.820	20 mm	<input type="checkbox"/>	204.844	44 mm
<input type="checkbox"/>	204.822	22 mm	<input type="checkbox"/>	204.845	45 mm
<input type="checkbox"/>	204.824	24 mm	<input type="checkbox"/>	204.846	46 mm
<input type="checkbox"/>	204.826	26 mm	<input type="checkbox"/>	204.848	48 mm
<input type="checkbox"/>	204.828	28 mm	<input type="checkbox"/>	204.850	50 mm
<input type="checkbox"/>	204.830	30 mm	<input type="checkbox"/>	204.855	55 mm
<input type="checkbox"/>	204.832	32 mm	<input type="checkbox"/>	204.860	60 mm

INVENTORY CONTROL FORM



Universal Small Fragment System

LCP® Standard Plates Set 01.133.207

PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Implants (continued) / Instruments and Other Items

3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess



<input type="checkbox"/>	212.101	10 mm	<input type="checkbox"/>	212.116	38 mm
<input type="checkbox"/>	212.102	12 mm	<input type="checkbox"/>	212.117	40 mm
<input type="checkbox"/>	212.103	14 mm	<input type="checkbox"/>	212.118	42 mm
<input type="checkbox"/>	212.104	16 mm	<input type="checkbox"/>	212.134	44 mm
<input type="checkbox"/>	212.105	18 mm	<input type="checkbox"/>	212.119	45 mm
<input type="checkbox"/>	212.106	20 mm	<input type="checkbox"/>	212.136	46 mm
<input type="checkbox"/>	212.107	22 mm	<input type="checkbox"/>	212.120	48 mm
<input type="checkbox"/>	212.108	24 mm	<input type="checkbox"/>	212.121	50 mm
<input type="checkbox"/>	212.109	26 mm	<input type="checkbox"/>	212.122	52 mm
<input type="checkbox"/>	212.110	28 mm	<input type="checkbox"/>	02.212.054	54 mm
<input type="checkbox"/>	212.111	30 mm	<input type="checkbox"/>	212.123	55 mm
<input type="checkbox"/>	212.112	32 mm	<input type="checkbox"/>	02.212.056	56 mm
<input type="checkbox"/>	212.113	34 mm	<input type="checkbox"/>	02.212.058	58 mm
<input type="checkbox"/>	212.115	36 mm	<input type="checkbox"/>	212.124	60 mm

3.5 mm Variable Angle Locking Screw, Self-Tapping, T15 StarDrive™ Recess



<input type="checkbox"/>	02.127.110	10 mm	<input type="checkbox"/>	02.127.136	36 mm
<input type="checkbox"/>	02.127.112	12 mm	<input type="checkbox"/>	02.127.138	38 mm
<input type="checkbox"/>	02.127.114	14 mm	<input type="checkbox"/>	02.127.140	40 mm
<input type="checkbox"/>	02.127.116	16 mm	<input type="checkbox"/>	02.127.142	42 mm
<input type="checkbox"/>	02.127.118	18 mm	<input type="checkbox"/>	02.127.144	44 mm
<input type="checkbox"/>	02.127.120	20 mm	<input type="checkbox"/>	02.127.146	46 mm
<input type="checkbox"/>	02.127.122	22 mm	<input type="checkbox"/>	02.127.148	48 mm
<input type="checkbox"/>	02.127.124	24 mm	<input type="checkbox"/>	02.127.150	50 mm
<input type="checkbox"/>	02.127.126	26 mm	<input type="checkbox"/>	02.127.152	52 mm
<input type="checkbox"/>	02.127.128	28 mm	<input type="checkbox"/>	02.127.154	54 mm
<input type="checkbox"/>	02.127.130	30 mm	<input type="checkbox"/>	02.127.156	56 mm
<input type="checkbox"/>	02.127.132	32 mm	<input type="checkbox"/>	02.127.158	58 mm
<input type="checkbox"/>	02.127.134	34 mm	<input type="checkbox"/>	02.127.160	60 mm

4.0 mm Cancellous Bone Screw, Fully Threaded, 2.5 mm Hex Recess



<input type="checkbox"/>	206.010	10 mm	<input type="checkbox"/>	206.028	28 mm
<input type="checkbox"/>	206.012	12 mm	<input type="checkbox"/>	206.030	30 mm
<input type="checkbox"/>	206.014	14 mm	<input type="checkbox"/>	206.035	35 mm
<input type="checkbox"/>	206.016	16 mm	<input type="checkbox"/>	206.040	40 mm
<input type="checkbox"/>	206.018	18 mm	<input type="checkbox"/>	206.045	45 mm
<input type="checkbox"/>	206.020	20 mm	<input type="checkbox"/>	206.050	50 mm
<input type="checkbox"/>	206.022	22 mm	<input type="checkbox"/>	206.055	55 mm
<input type="checkbox"/>	206.024	24 mm	<input type="checkbox"/>	206.060	60 mm
<input type="checkbox"/>	206.026	26 mm			

Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	03.133.100	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	03.133.101	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	03.133.102	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.103	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	03.133.105	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.106	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.107	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	03.133.109	3.5 mm Drill Bit, Quick Coupling, 60 mm	

Other Items

<input type="checkbox"/>	219.98	Washer, 7.0 mm	
<input type="checkbox"/>	219.12	1.25 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	292.16	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	292.20	2.0 mm Kirschner Wire with trocar point, 150 mm	