

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Universal Small Fragment System  
Titanium LCP® Standard Plates Set 01.133.407

**Case ID:**

**To Order (USA): (800) 523-0322**  
**To Order (Canada): (844) 243-4321**

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Implants

### 3.5 mm LCP® Plate

- 423.551** 5 holes, 72 mm
- 423.561** 6 holes, 85 mm
- 423.571** 7 holes, 98 mm
- 423.581** 8 holes, 111 mm
- 423.591** 9 holes, 124 mm
- 423.601** 10 holes, 137 mm
- 423.621** 12 holes, 163 mm
- 423.641** 14 holes, 189 mm



### 3.5 mm One-Third Tubular LCP® Plate

- 441.351** 5 holes       **441.381** 8 holes
- 441.361** 6 holes       **441.401** 10 holes
- 441.371** 7 holes       **441.421** 12 holes



### 3.5 mm LCP® T-Plate, Right Angle

- 441.131** 3 head holes, 3 shaft holes, 50 mm
- 441.151** 3 head holes, 5 shaft holes, 67 mm




### 2.7 mm LCP® Plate

- 449.680** 4 holes, 40 mm
- 449.681** 5 holes, 49 mm
- 449.682** 6 holes, 58 mm
- 449.683** 7 holes, 67 mm
- 447.372** 8 holes, 76 mm
- 447.374** 10 holes, 94 mm



### 2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- |                          |                |       |                          |                |       |
|--------------------------|----------------|-------|--------------------------|----------------|-------|
| <input type="checkbox"/> | <b>402.210</b> | 10 mm | <input type="checkbox"/> | <b>402.234</b> | 34 mm |
| <input type="checkbox"/> | <b>402.212</b> | 12 mm | <input type="checkbox"/> | <b>402.236</b> | 36 mm |
| <input type="checkbox"/> | <b>402.214</b> | 14 mm | <input type="checkbox"/> | <b>402.238</b> | 38 mm |
| <input type="checkbox"/> | <b>402.216</b> | 16 mm | <input type="checkbox"/> | <b>402.240</b> | 40 mm |
| <input type="checkbox"/> | <b>402.218</b> | 18 mm | <input type="checkbox"/> | <b>402.242</b> | 42 mm |
| <input type="checkbox"/> | <b>402.220</b> | 20 mm | <input type="checkbox"/> | <b>402.244</b> | 44 mm |
| <input type="checkbox"/> | <b>402.222</b> | 22 mm | <input type="checkbox"/> | <b>402.246</b> | 46 mm |
| <input type="checkbox"/> | <b>402.224</b> | 24 mm | <input type="checkbox"/> | <b>402.248</b> | 48 mm |
| <input type="checkbox"/> | <b>402.226</b> | 26 mm | <input type="checkbox"/> | <b>402.250</b> | 50 mm |
| <input type="checkbox"/> | <b>402.228</b> | 28 mm | <input type="checkbox"/> | <b>402.255</b> | 55 mm |
| <input type="checkbox"/> | <b>402.230</b> | 30 mm | <input type="checkbox"/> | <b>402.260</b> | 60 mm |
| <input type="checkbox"/> | <b>402.232</b> | 32 mm |                          |                |       |

### 2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess



- |                          |                |       |                          |                |       |
|--------------------------|----------------|-------|--------------------------|----------------|-------|
| <input type="checkbox"/> | <b>402.870</b> | 10 mm | <input type="checkbox"/> | <b>402.894</b> | 34 mm |
| <input type="checkbox"/> | <b>402.872</b> | 12 mm | <input type="checkbox"/> | <b>402.896</b> | 36 mm |
| <input type="checkbox"/> | <b>402.874</b> | 14 mm | <input type="checkbox"/> | <b>402.898</b> | 38 mm |
| <input type="checkbox"/> | <b>402.876</b> | 16 mm | <input type="checkbox"/> | <b>402.900</b> | 40 mm |
| <input type="checkbox"/> | <b>402.878</b> | 18 mm | <input type="checkbox"/> | <b>402.962</b> | 42 mm |
| <input type="checkbox"/> | <b>402.880</b> | 20 mm | <input type="checkbox"/> | <b>402.963</b> | 44 mm |
| <input type="checkbox"/> | <b>402.882</b> | 22 mm | <input type="checkbox"/> | <b>402.965</b> | 46 mm |
| <input type="checkbox"/> | <b>402.884</b> | 24 mm | <input type="checkbox"/> | <b>402.966</b> | 48 mm |
| <input type="checkbox"/> | <b>402.886</b> | 26 mm | <input type="checkbox"/> | <b>402.967</b> | 50 mm |
| <input type="checkbox"/> | <b>402.888</b> | 28 mm | <input type="checkbox"/> | <b>402.968</b> | 55 mm |
| <input type="checkbox"/> | <b>402.890</b> | 30 mm | <input type="checkbox"/> | <b>402.969</b> | 60 mm |
| <input type="checkbox"/> | <b>402.892</b> | 32 mm |                          |                |       |

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System Titanium LCP® Standard Plates Set 01.133.407

### Implants (continued)

#### 2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess




<input type="checkbox"/>	<b>04.211.010</b>	10 mm	<input type="checkbox"/>	<b>04.211.036</b>	36 mm
<input type="checkbox"/>	<b>04.211.012</b>	12 mm	<input type="checkbox"/>	<b>04.211.038</b>	38 mm
<input type="checkbox"/>	<b>04.211.014</b>	14 mm	<input type="checkbox"/>	<b>04.211.040</b>	40 mm
<input type="checkbox"/>	<b>04.211.016</b>	16 mm	<input type="checkbox"/>	<b>04.211.042</b>	42 mm
<input type="checkbox"/>	<b>04.211.018</b>	18 mm	<input type="checkbox"/>	<b>04.211.044</b>	44 mm
<input type="checkbox"/>	<b>04.211.020</b>	20 mm	<input type="checkbox"/>	<b>04.211.046</b>	46 mm
<input type="checkbox"/>	<b>04.211.022</b>	22 mm	<input type="checkbox"/>	<b>04.211.048</b>	48 mm
<input type="checkbox"/>	<b>04.211.024</b>	24 mm	<input type="checkbox"/>	<b>04.211.050</b>	50 mm
<input type="checkbox"/>	<b>04.211.026</b>	26 mm	<input type="checkbox"/>	<b>04.211.052</b>	52 mm
<input type="checkbox"/>	<b>04.211.028</b>	28 mm	<input type="checkbox"/>	<b>04.211.054</b>	54 mm
<input type="checkbox"/>	<b>04.211.030</b>	30 mm	<input type="checkbox"/>	<b>04.211.056</b>	56 mm
<input type="checkbox"/>	<b>04.211.032</b>	32 mm	<input type="checkbox"/>	<b>04.211.058</b>	58 mm
<input type="checkbox"/>	<b>04.211.034</b>	34 mm	<input type="checkbox"/>	<b>04.211.060</b>	60 mm

#### 2.7 mm Cortex Screws, Self-Tapping, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>402.810</b>	10	<input type="checkbox"/>	<b>402.830</b>	30
<input type="checkbox"/>	<b>402.812</b>	12	<input type="checkbox"/>	<b>402.832</b>	32
<input type="checkbox"/>	<b>402.814</b>	14	<input type="checkbox"/>	<b>402.834</b>	34
<input type="checkbox"/>	<b>402.816</b>	16	<input type="checkbox"/>	<b>402.836</b>	36
<input type="checkbox"/>	<b>402.818</b>	18	<input type="checkbox"/>	<b>402.838</b>	38
<input type="checkbox"/>	<b>402.820</b>	20	<input type="checkbox"/>	<b>402.840</b>	40
<input type="checkbox"/>	<b>402.822</b>	22	<input type="checkbox"/>	<b>402.845</b>	45
<input type="checkbox"/>	<b>402.824</b>	24	<input type="checkbox"/>	<b>402.850</b>	50
<input type="checkbox"/>	<b>402.826</b>	26	<input type="checkbox"/>	<b>402.855</b>	55
<input type="checkbox"/>	<b>402.828</b>	28			

#### 2.7 mm Metaphyseal Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	<b>04.118.510</b>	10 mm	<input type="checkbox"/>	<b>04.118.536</b>	36 mm
<input type="checkbox"/>	<b>04.118.512</b>	12 mm	<input type="checkbox"/>	<b>04.118.538</b>	38 mm
<input type="checkbox"/>	<b>04.118.514</b>	14 mm	<input type="checkbox"/>	<b>04.118.540</b>	40 mm
<input type="checkbox"/>	<b>04.118.516</b>	16 mm	<input type="checkbox"/>	<b>04.118.542</b>	42 mm
<input type="checkbox"/>	<b>04.118.518</b>	18 mm	<input type="checkbox"/>	<b>04.118.544</b>	44 mm
<input type="checkbox"/>	<b>04.118.520</b>	20 mm	<input type="checkbox"/>	<b>04.118.546</b>	46 mm
<input type="checkbox"/>	<b>04.118.522</b>	22 mm	<input type="checkbox"/>	<b>04.118.548</b>	48 mm
<input type="checkbox"/>	<b>04.118.524</b>	24 mm	<input type="checkbox"/>	<b>04.118.550</b>	50 mm
<input type="checkbox"/>	<b>04.118.526</b>	26 mm	<input type="checkbox"/>	<b>04.118.552</b>	52 mm
<input type="checkbox"/>	<b>04.118.528</b>	28 mm	<input type="checkbox"/>	<b>04.118.554</b>	54 mm
<input type="checkbox"/>	<b>04.118.530</b>	30 mm	<input type="checkbox"/>	<b>04.118.556</b>	56 mm
<input type="checkbox"/>	<b>04.118.532</b>	32 mm	<input type="checkbox"/>	<b>04.118.558</b>	58 mm
<input type="checkbox"/>	<b>04.118.534</b>	34 mm	<input type="checkbox"/>	<b>04.118.560</b>	60 mm

#### 3.5 mm Cortex Screw, Self-Tapping, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>404.810</b>	10 mm	<input type="checkbox"/>	<b>404.830</b>	30 mm
<input type="checkbox"/>	<b>404.812</b>	12 mm	<input type="checkbox"/>	<b>404.832</b>	32 mm
<input type="checkbox"/>	<b>404.814</b>	14 mm	<input type="checkbox"/>	<b>404.834</b>	34 mm
<input type="checkbox"/>	<b>404.816</b>	16 mm	<input type="checkbox"/>	<b>404.836</b>	36 mm
<input type="checkbox"/>	<b>404.818</b>	18 mm	<input type="checkbox"/>	<b>404.838</b>	38 mm
<input type="checkbox"/>	<b>404.820</b>	20 mm	<input type="checkbox"/>	<b>404.840</b>	40 mm
<input type="checkbox"/>	<b>404.822</b>	22 mm	<input type="checkbox"/>	<b>404.845</b>	45 mm
<input type="checkbox"/>	<b>404.824</b>	24 mm	<input type="checkbox"/>	<b>404.850</b>	50 mm
<input type="checkbox"/>	<b>404.826</b>	26 mm	<input type="checkbox"/>	<b>404.855</b>	55 mm
<input type="checkbox"/>	<b>404.828</b>	28 mm			

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System Titanium LCP® Standard Plates Set 01.133.407

### Implants (continued)

#### 3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess



<input type="checkbox"/>	<b>412.101</b>	10 mm	<input type="checkbox"/>	<b>412.116</b>	38 mm
<input type="checkbox"/>	<b>412.102</b>	12 mm	<input type="checkbox"/>	<b>412.117</b>	40 mm
<input type="checkbox"/>	<b>412.103</b>	14 mm	<input type="checkbox"/>	<b>412.118</b>	42 mm
<input type="checkbox"/>	<b>412.104</b>	16 mm	<input type="checkbox"/>	<b>412.134</b>	44 mm
<input type="checkbox"/>	<b>412.105</b>	18 mm	<input type="checkbox"/>	<b>412.119</b>	45 mm
<input type="checkbox"/>	<b>412.106</b>	20 mm	<input type="checkbox"/>	<b>412.136</b>	46 mm
<input type="checkbox"/>	<b>412.107</b>	22 mm	<input type="checkbox"/>	<b>412.120</b>	48 mm
<input type="checkbox"/>	<b>412.108</b>	24 mm	<input type="checkbox"/>	<b>412.121</b>	50 mm
<input type="checkbox"/>	<b>412.109</b>	26 mm	<input type="checkbox"/>	<b>412.122</b>	52 mm
<input type="checkbox"/>	<b>412.110</b>	28 mm	<input type="checkbox"/>	<b>04.212.054</b>	54 mm
<input type="checkbox"/>	<b>412.111</b>	30 mm	<input type="checkbox"/>	<b>412.123</b>	55 mm
<input type="checkbox"/>	<b>412.112</b>	32 mm	<input type="checkbox"/>	<b>04.212.056</b>	56 mm
<input type="checkbox"/>	<b>412.113</b>	34 mm	<input type="checkbox"/>	<b>04.212.058</b>	58 mm
<input type="checkbox"/>	<b>412.115</b>	36 mm	<input type="checkbox"/>	<b>412.124</b>	60 mm

#### 4.0 mm Cancellous Bone Screw, Fully Threaded, 2.5mm Hex











<input type="checkbox"/>	<b>406.010</b>	10 mm	<input type="checkbox"/>	<b>406.028</b>	28 mm
<input type="checkbox"/>	<b>406.012</b>	12 mm	<input type="checkbox"/>	<b>406.030</b>	30 mm
<input type="checkbox"/>	<b>406.014</b>	14 mm	<input type="checkbox"/>	<b>406.035</b>	35 mm
<input type="checkbox"/>	<b>406.016</b>	16 mm	<input type="checkbox"/>	<b>406.040</b>	40 mm
<input type="checkbox"/>	<b>406.018</b>	18 mm	<input type="checkbox"/>	<b>406.045</b>	45 mm
<input type="checkbox"/>	<b>406.020</b>	20 mm	<input type="checkbox"/>	<b>406.050</b>	50 mm
<input type="checkbox"/>	<b>406.022</b>	22 mm	<input type="checkbox"/>	<b>406.055</b>	55 mm
<input type="checkbox"/>	<b>406.024</b>	24 mm	<input type="checkbox"/>	<b>406.060</b>	60 mm
<input type="checkbox"/>	<b>406.026</b>	26 mm			




### Instruments and Other Items

#### Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>03.133.100</b>	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	<b>03.133.101</b>	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	<b>03.133.102</b>	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.103</b>	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.105</b>	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.106</b>	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.107</b>	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.109</b>	3.5 mm Drill Bit, Quick Coupling, 60 mm	

#### Other Items

<input type="checkbox"/>	<b>419.98</b>	Washer, 7.0 mm	
<input type="checkbox"/>	<b>492.12</b>	1.25 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	<b>492.16</b>	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	<b>492.20</b>	2.0 mm Kirschner Wire with trocar point, 150 mm	