

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

LCP® and VA LCP® Elbow Implant Set 01.133.212

**Case ID:**

**To Order (USA): (800) 523-0322**  
**To Order (Canada): (844) 243-4321**

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Implants

### 3.5 mm LCP® Extra-articular Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.104.006** 6 holes, 158 mm, right
- 02.104.026** 6 holes, 158 mm, left
- 02.104.008** 8 holes, 194 mm, right
- 02.104.028** 8 holes, 194 mm, left
- 02.104.010** 10 holes, 230 mm, right
- 02.104.030** 10 holes, 230 mm, left



### 2.7 mm / 3.5 mm VA LCP® Posterolateral Distal Humerus Plate, with Lateral Support

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.117.003** 3 holes, 75mm, right, short
- 02.117.103** 3 holes, 75mm, left, short
- 02.117.004** 4 holes, 88 mm, right, medium
- 02.117.104** 4 holes, 88 mm, left, medium



### 3.5 mm LCP® Hook Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.113.103** 3 holes, 62 mm



### 2.7 mm / 3.5 mm VA LCP® Lateral Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.117.801** 1 hole, 69 mm, right, short
- 02.117.901** 1 hole, 69 mm, left, short
- 02.117.802** 2 holes, 82 mm, right, medium
- 02.117.902** 2 holes, 82 mm, left, medium



### 2.7 mm / 3.5 mm VA LCP® Posterolateral Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.117.203** 3 holes, 75 mm, right, short
- 02.117.303** 3 holes, 75 mm, left, short
- 02.117.204** 4 holes, 88 mm, right, medium
- 02.117.304** 4 holes, 88 mm, left, medium
- 02.117.207** 7 holes, 127 mm, right, long
- 02.117.307** 7 holes, 127 mm, left, long



### 2.7 mm / 3.5 mm VA LCP® Extended Medial Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.117.601** 1 hole, 72 mm, right, short
- 02.117.701** 1 hole, 72 mm, left, short
- 02.117.602** 2 holes, 85 mm, right, medium
- 02.117.702** 2 holes, 85 mm, left, medium
- 02.117.604** 4 holes, 111 mm, right, long
- 02.117.704** 4 holes, 111 mm, left, long



# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

LCP® and VA LCP® Elbow Implant Set 01.133.212

### Implants (continued)

#### 2.7 mm / 3.5 mm VA LCP® Proximal Olecranon Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>02.107.002</b>	2 holes, 73 mm, right
<input type="checkbox"/>	<b>02.107.102</b>	2 holes, 73 mm, left



#### 2.7 mm / 3.5 mm VA LCP® Medial Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>02.117.401</b>	1 hole, 69 mm, right, short
<input type="checkbox"/>	<b>02.117.501</b>	1 hole, 69 mm, left, short
<input type="checkbox"/>	<b>02.117.402</b>	2 holes, 82 mm, right, medium
<input type="checkbox"/>	<b>02.117.502</b>	2 holes, 82 mm, left, medium
<input type="checkbox"/>	<b>02.117.404</b>	4 holes, 108 mm, right, long
<input type="checkbox"/>	<b>02.117.504</b>	4 holes, 108 mm, left, long




#### 2.7 mm / 3.5 mm VA LCP® Olecranon Plate

<input type="checkbox"/>	<b>02.107.202</b>	2 holes, 90 mm, right
<input type="checkbox"/>	<b>02.107.302</b>	2 holes, 90 mm, left
<input type="checkbox"/>	<b>02.107.204</b>	4 holes, 116 mm, right
<input type="checkbox"/>	<b>02.107.304</b>	4 holes, 116 mm, left
<input type="checkbox"/>	<b>02.107.206</b>	6 holes, 142 mm, right
<input type="checkbox"/>	<b>02.107.306</b>	6 holes, 142 mm, left




#### 2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	<b>202.210</b>	10 mm	<input type="checkbox"/>	<b>202.234</b>	34 mm
<input type="checkbox"/>	<b>202.212</b>	12 mm	<input type="checkbox"/>	<b>202.236</b>	36 mm
<input type="checkbox"/>	<b>202.214</b>	14 mm	<input type="checkbox"/>	<b>202.238</b>	38 mm
<input type="checkbox"/>	<b>202.216</b>	16 mm	<input type="checkbox"/>	<b>202.240</b>	40 mm
<input type="checkbox"/>	<b>202.218</b>	18 mm	<input type="checkbox"/>	<b>202.242</b>	42 mm
<input type="checkbox"/>	<b>202.220</b>	20 mm	<input type="checkbox"/>	<b>202.244</b>	44 mm
<input type="checkbox"/>	<b>202.222</b>	22 mm	<input type="checkbox"/>	<b>202.246</b>	46 mm
<input type="checkbox"/>	<b>202.224</b>	24 mm	<input type="checkbox"/>	<b>202.248</b>	48 mm
<input type="checkbox"/>	<b>202.226</b>	26 mm	<input type="checkbox"/>	<b>202.250</b>	50 mm
<input type="checkbox"/>	<b>202.228</b>	28 mm	<input type="checkbox"/>	<b>202.255</b>	55 mm
<input type="checkbox"/>	<b>202.230</b>	30 mm	<input type="checkbox"/>	<b>202.260</b>	60 mm
<input type="checkbox"/>	<b>202.232</b>	32 mm			

#### 2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	<b>02.211.010</b>	10 mm	<input type="checkbox"/>	<b>02.211.036</b>	36 mm
<input type="checkbox"/>	<b>02.211.012</b>	12 mm	<input type="checkbox"/>	<b>02.211.038</b>	38 mm
<input type="checkbox"/>	<b>02.211.014</b>	14 mm	<input type="checkbox"/>	<b>02.211.040</b>	40 mm
<input type="checkbox"/>	<b>02.211.016</b>	16 mm	<input type="checkbox"/>	<b>02.211.042</b>	42 mm
<input type="checkbox"/>	<b>02.211.018</b>	18 mm	<input type="checkbox"/>	<b>02.211.044</b>	44 mm
<input type="checkbox"/>	<b>02.211.020</b>	20 mm	<input type="checkbox"/>	<b>02.211.046</b>	46 mm
<input type="checkbox"/>	<b>02.211.022</b>	22 mm	<input type="checkbox"/>	<b>02.211.048</b>	48 mm
<input type="checkbox"/>	<b>02.211.024</b>	24 mm	<input type="checkbox"/>	<b>02.211.050</b>	50 mm
<input type="checkbox"/>	<b>02.211.026</b>	26 mm	<input type="checkbox"/>	<b>02.211.052</b>	52 mm
<input type="checkbox"/>	<b>02.211.028</b>	28 mm	<input type="checkbox"/>	<b>02.211.054</b>	54 mm
<input type="checkbox"/>	<b>02.211.030</b>	30 mm	<input type="checkbox"/>	<b>02.211.056</b>	56 mm
<input type="checkbox"/>	<b>02.211.032</b>	32 mm	<input type="checkbox"/>	<b>02.211.058</b>	58 mm
<input type="checkbox"/>	<b>02.211.034</b>	34 mm	<input type="checkbox"/>	<b>02.211.060</b>	60 mm

#### 4.0 mm Cancellous Bone Screws, Fully Threaded, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>206.010</b>	10 mm	<input type="checkbox"/>	<b>206.028</b>	28 mm
<input type="checkbox"/>	<b>206.012</b>	12 mm	<input type="checkbox"/>	<b>206.030</b>	30 mm
<input type="checkbox"/>	<b>206.014</b>	14 mm	<input type="checkbox"/>	<b>206.035</b>	35 mm
<input type="checkbox"/>	<b>206.016</b>	16 mm	<input type="checkbox"/>	<b>206.040</b>	40 mm
<input type="checkbox"/>	<b>206.018</b>	18 mm	<input type="checkbox"/>	<b>206.045</b>	45 mm
<input type="checkbox"/>	<b>206.020</b>	20 mm	<input type="checkbox"/>	<b>206.050</b>	50 mm
<input type="checkbox"/>	<b>206.022</b>	22 mm	<input type="checkbox"/>	<b>206.055</b>	55 mm
<input type="checkbox"/>	<b>206.024</b>	24 mm	<input type="checkbox"/>	<b>206.060</b>	60 mm
<input type="checkbox"/>	<b>206.026</b>	26 mm			

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

LCP® and VA LCP® Elbow Implant Set 01.133.212

### Implants (continued)

#### 2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess




<input type="checkbox"/>	202.870	10 mm	<input type="checkbox"/>	202.894	34 mm
<input type="checkbox"/>	202.872	12 mm	<input type="checkbox"/>	202.896	36 mm
<input type="checkbox"/>	202.874	14 mm	<input type="checkbox"/>	202.898	38 mm
<input type="checkbox"/>	202.876	16 mm	<input type="checkbox"/>	202.900	40 mm
<input type="checkbox"/>	202.878	18 mm	<input type="checkbox"/>	202.962	42 mm
<input type="checkbox"/>	202.880	20 mm	<input type="checkbox"/>	202.963	44 mm
<input type="checkbox"/>	202.882	22 mm	<input type="checkbox"/>	202.965	46 mm
<input type="checkbox"/>	202.884	24 mm	<input type="checkbox"/>	202.966	48 mm
<input type="checkbox"/>	202.886	26 mm	<input type="checkbox"/>	202.967	50 mm
<input type="checkbox"/>	202.888	28 mm	<input type="checkbox"/>	202.968	55 mm
<input type="checkbox"/>	202.890	30 mm	<input type="checkbox"/>	202.969	60 mm
<input type="checkbox"/>	202.892	32 mm			

#### 3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess




<input type="checkbox"/>	212.101	10 mm	<input type="checkbox"/>	212.116	38 mm
<input type="checkbox"/>	212.102	12 mm	<input type="checkbox"/>	212.117	40 mm
<input type="checkbox"/>	212.103	14 mm	<input type="checkbox"/>	212.118	42 mm
<input type="checkbox"/>	212.104	16 mm	<input type="checkbox"/>	212.134	44 mm
<input type="checkbox"/>	212.105	18 mm	<input type="checkbox"/>	212.119	45 mm
<input type="checkbox"/>	212.106	20 mm	<input type="checkbox"/>	212.136	46 mm
<input type="checkbox"/>	212.107	22 mm	<input type="checkbox"/>	212.120	48 mm
<input type="checkbox"/>	212.108	24 mm	<input type="checkbox"/>	212.121	50 mm
<input type="checkbox"/>	212.109	26 mm	<input type="checkbox"/>	212.122	52 mm
<input type="checkbox"/>	212.110	28 mm	<input type="checkbox"/>	02.212.054	54 mm
<input type="checkbox"/>	212.111	30 mm	<input type="checkbox"/>	212.123	55 mm
<input type="checkbox"/>	212.112	32 mm	<input type="checkbox"/>	02.212.056	56 mm
<input type="checkbox"/>	212.113	34 mm	<input type="checkbox"/>	02.212.058	58 mm
<input type="checkbox"/>	212.115	36 mm	<input type="checkbox"/>	212.124	60 mm

#### 2.7 mm Metaphyseal Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	02.118.510	10 mm	<input type="checkbox"/>	02.118.536	36 mm
<input type="checkbox"/>	02.118.512	12 mm	<input type="checkbox"/>	02.118.538	38 mm
<input type="checkbox"/>	02.118.514	14 mm	<input type="checkbox"/>	02.118.540	40 mm
<input type="checkbox"/>	02.118.516	16 mm	<input type="checkbox"/>	02.118.542	42 mm
<input type="checkbox"/>	02.118.518	18 mm	<input type="checkbox"/>	02.118.544	44 mm
<input type="checkbox"/>	02.118.520	20 mm	<input type="checkbox"/>	02.118.546	46 mm
<input type="checkbox"/>	02.118.522	22 mm	<input type="checkbox"/>	02.118.548	48 mm
<input type="checkbox"/>	02.118.524	24 mm	<input type="checkbox"/>	02.118.550	50 mm
<input type="checkbox"/>	02.118.526	26 mm	<input type="checkbox"/>	02.118.552	52 mm
<input type="checkbox"/>	02.118.528	28 mm	<input type="checkbox"/>	02.118.554	54 mm
<input type="checkbox"/>	02.118.530	30 mm	<input type="checkbox"/>	02.118.556	56 mm
<input type="checkbox"/>	02.118.532	32 mm	<input type="checkbox"/>	02.118.558	58 mm
<input type="checkbox"/>	02.118.534	34 mm	<input type="checkbox"/>	02.118.560	60 mm

#### 3.5 mm Cortex Screw, 2.5 mm Hex Recess



<input type="checkbox"/>	204.810	10 mm	<input type="checkbox"/>	204.834	34 mm
<input type="checkbox"/>	204.812	12 mm	<input type="checkbox"/>	204.836	36 mm
<input type="checkbox"/>	204.814	14 mm	<input type="checkbox"/>	204.838	38 mm
<input type="checkbox"/>	204.816	16 mm	<input type="checkbox"/>	204.840	40 mm
<input type="checkbox"/>	204.818	18 mm	<input type="checkbox"/>	204.842	42 mm
<input type="checkbox"/>	204.820	20 mm	<input type="checkbox"/>	204.844	44 mm
<input type="checkbox"/>	204.822	22 mm	<input type="checkbox"/>	204.845	45 mm
<input type="checkbox"/>	204.824	24 mm	<input type="checkbox"/>	204.846	46 mm
<input type="checkbox"/>	204.826	26 mm	<input type="checkbox"/>	204.848	48 mm
<input type="checkbox"/>	204.828	28 mm	<input type="checkbox"/>	204.850	50 mm
<input type="checkbox"/>	204.830	30 mm	<input type="checkbox"/>	204.855	55 mm
<input type="checkbox"/>	204.832	32 mm	<input type="checkbox"/>	204.860	60 mm

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

LCP® and VA LCP® Elbow Implant Set 01.133.212

### Implants (continued)

#### 3.5 mm Variable Angle Locking Screw, Self-Tapping, T15 StarDrive™ Recess











<input type="checkbox"/>	<b>02.127.110</b>	10 mm	<input type="checkbox"/>	<b>02.127.136</b>	36 mm
<input type="checkbox"/>	<b>02.127.112</b>	12 mm	<input type="checkbox"/>	<b>02.127.138</b>	38 mm
<input type="checkbox"/>	<b>02.127.114</b>	14 mm	<input type="checkbox"/>	<b>02.127.140</b>	40 mm
<input type="checkbox"/>	<b>02.127.116</b>	16 mm	<input type="checkbox"/>	<b>02.127.142</b>	42 mm
<input type="checkbox"/>	<b>02.127.118</b>	18 mm	<input type="checkbox"/>	<b>02.127.144</b>	44 mm
<input type="checkbox"/>	<b>02.127.120</b>	20 mm	<input type="checkbox"/>	<b>02.127.146</b>	46 mm
<input type="checkbox"/>	<b>02.127.122</b>	22 mm	<input type="checkbox"/>	<b>02.127.148</b>	48 mm
<input type="checkbox"/>	<b>02.127.124</b>	24 mm	<input type="checkbox"/>	<b>02.127.150</b>	50 mm
<input type="checkbox"/>	<b>02.127.126</b>	26 mm	<input type="checkbox"/>	<b>02.127.152</b>	52 mm
<input type="checkbox"/>	<b>02.127.128</b>	28 mm	<input type="checkbox"/>	<b>02.127.154</b>	54 mm
<input type="checkbox"/>	<b>02.127.130</b>	30 mm	<input type="checkbox"/>	<b>02.127.156</b>	56 mm
<input type="checkbox"/>	<b>02.127.132</b>	32 mm	<input type="checkbox"/>	<b>02.127.158</b>	58 mm
<input type="checkbox"/>	<b>02.127.134</b>	34 mm	<input type="checkbox"/>	<b>02.127.160</b>	60 mm


### Instruments and Other Items

#### Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>03.133.100</b>	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	<b>03.133.101</b>	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	<b>03.133.102</b>	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.103</b>	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.105</b>	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.106</b>	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.107</b>	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.109</b>	3.5 mm Drill Bit, Quick Coupling, 60 mm	

#### Other Items

<input type="checkbox"/>	<b>292.16</b>	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	<b>292.20</b>	2.0 mm Kirschner Wire with trocar point, 150 mm	