

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Elbow Implant Set 01.133.412

**Case ID:**

**To Order (USA): (800) 523-0322**  
**To Order (Canada): (844) 243-4321**

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

## Implants

### 3.5 mm LCP® Extra-articular Distal Humerus Plate

Available sterile-packed only.

- 04.104.006S** 6 holes, 158 mm, right
- 04.104.026S** 6 holes, 158 mm, left
- 04.104.008S** 8 holes, 194 mm, right
- 04.104.028S** 8 holes, 194 mm, left
- 04.104.010S** 10 holes, 230 mm, right
- 04.104.030S** 10 holes, 230 mm, left



### 2.7 / 3.5 mm VA LCP® Posterolateral Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.117.203** 3 holes, 75mm, right, short
- 04.117.303** 3 holes, 75mm, left, short
- 04.117.204** 4 holes, 88 mm, right, medium
- 04.117.304** 4 holes, 88 mm, left, medium
- 04.117.207** 7 holes, 127 mm, right, long
- 04.117.307** 7 holes, 127 mm, left, long



### 3.5 mm LCP® Hook Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.113.103** 3 holes, 62 mm



### 2.7 mm / 3.5 mm VA LCP® Posterolateral Distal Humerus Plate, with Lateral Support

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.117.003** 3 holes, 75mm, right, short
- 04.117.103** 3 holes, 75mm, left, short
- 04.117.004** 4 holes, 88 mm, right, medium
- 04.117.104** 4 holes, 88 mm, left, medium



### 2.7 mm / 3.5 mm VA LCP® Lateral Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.117.801** 1 hole, 69 mm, right, short
- 04.117.901** 1 hole, 69 mm, left, short
- 04.117.802** 2 holes, 82 mm, right, medium
- 04.117.902** 2 holes, 82 mm, left, medium



### 2.7 mm / 3.5 mm VA LCP® Extended Medial Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.117.401** 1 hole, 69 mm, right, short
- 04.117.501** 1 hole, 69 mm, left, short
- 04.117.402** 2 holes, 82 mm, right, medium
- 04.117.502** 2 holes, 82 mm, left, medium
- 04.117.404** 4 holes, 108 mm, right, long
- 04.117.504** 4 holes, 108 mm, left, long



# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Elbow Implant Set 01.133.412

### Implants (continued)

#### 2.7 mm / 3.5 mm VA LCP® Proximal Olecranon Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- |                          |                   |                       |
|--------------------------|-------------------|-----------------------|
| <input type="checkbox"/> | <b>04.107.002</b> | 2 holes, 73 mm, right |
| <input type="checkbox"/> | <b>04.107.102</b> | 2 holes, 73 mm, left  |



#### 2.7 mm / 3.5 mm VA LCP® Medial Distal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- |                          |                   |                               |
|--------------------------|-------------------|-------------------------------|
| <input type="checkbox"/> | <b>04.117.601</b> | 1 hole, 72 mm, right, short   |
| <input type="checkbox"/> | <b>04.117.701</b> | 1 hole, 72 mm, left, short    |
| <input type="checkbox"/> | <b>04.117.602</b> | 2 holes, 85 mm, right, medium |
| <input type="checkbox"/> | <b>04.117.702</b> | 2 holes, 85 mm, left, medium  |
| <input type="checkbox"/> | <b>04.117.604</b> | 4 holes, 111 mm, right, long  |
| <input type="checkbox"/> | <b>04.117.704</b> | 4 holes, 111 mm, left, long   |




#### 2.7 mm / 3.5 mm VA LCP® Olecranon Plate

- |                          |                   |                        |
|--------------------------|-------------------|------------------------|
| <input type="checkbox"/> | <b>04.107.202</b> | 2 holes, 90 mm, right  |
| <input type="checkbox"/> | <b>04.107.302</b> | 2 holes, 90 mm, left   |
| <input type="checkbox"/> | <b>04.107.204</b> | 4 holes, 116 mm, right |
| <input type="checkbox"/> | <b>04.107.304</b> | 4 holes, 116 mm, left  |
| <input type="checkbox"/> | <b>04.107.206</b> | 6 holes, 142 mm, right |
| <input type="checkbox"/> | <b>04.107.306</b> | 6 holes, 142 mm, left  |




#### 2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- |                          |                   |       |                          |                   |       |
|--------------------------|-------------------|-------|--------------------------|-------------------|-------|
| <input type="checkbox"/> | <b>04.211.010</b> | 10 mm | <input type="checkbox"/> | <b>04.211.036</b> | 36 mm |
| <input type="checkbox"/> | <b>04.211.012</b> | 12 mm | <input type="checkbox"/> | <b>04.211.038</b> | 38 mm |
| <input type="checkbox"/> | <b>04.211.014</b> | 14 mm | <input type="checkbox"/> | <b>04.211.040</b> | 40 mm |
| <input type="checkbox"/> | <b>04.211.016</b> | 16 mm | <input type="checkbox"/> | <b>04.211.042</b> | 42 mm |
| <input type="checkbox"/> | <b>04.211.018</b> | 18 mm | <input type="checkbox"/> | <b>04.211.044</b> | 44 mm |
| <input type="checkbox"/> | <b>04.211.020</b> | 20 mm | <input type="checkbox"/> | <b>04.211.046</b> | 46 mm |
| <input type="checkbox"/> | <b>04.211.022</b> | 22 mm | <input type="checkbox"/> | <b>04.211.048</b> | 48 mm |
| <input type="checkbox"/> | <b>04.211.024</b> | 24 mm | <input type="checkbox"/> | <b>04.211.050</b> | 50 mm |
| <input type="checkbox"/> | <b>04.211.026</b> | 26 mm | <input type="checkbox"/> | <b>04.211.052</b> | 52 mm |
| <input type="checkbox"/> | <b>04.211.028</b> | 28 mm | <input type="checkbox"/> | <b>04.211.054</b> | 54 mm |
| <input type="checkbox"/> | <b>04.211.030</b> | 30 mm | <input type="checkbox"/> | <b>04.211.056</b> | 56 mm |
| <input type="checkbox"/> | <b>04.211.032</b> | 32 mm | <input type="checkbox"/> | <b>04.211.058</b> | 58 mm |
| <input type="checkbox"/> | <b>04.211.034</b> | 34 mm | <input type="checkbox"/> | <b>04.211.060</b> | 60 mm |

#### 2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- |                          |                |       |                          |                |       |
|--------------------------|----------------|-------|--------------------------|----------------|-------|
| <input type="checkbox"/> | <b>402.210</b> | 10 mm | <input type="checkbox"/> | <b>402.234</b> | 34 mm |
| <input type="checkbox"/> | <b>402.212</b> | 12 mm | <input type="checkbox"/> | <b>402.236</b> | 36 mm |
| <input type="checkbox"/> | <b>402.214</b> | 14 mm | <input type="checkbox"/> | <b>402.238</b> | 38 mm |
| <input type="checkbox"/> | <b>402.216</b> | 16 mm | <input type="checkbox"/> | <b>402.240</b> | 40 mm |
| <input type="checkbox"/> | <b>402.218</b> | 18 mm | <input type="checkbox"/> | <b>402.242</b> | 42 mm |
| <input type="checkbox"/> | <b>402.220</b> | 20 mm | <input type="checkbox"/> | <b>402.244</b> | 44 mm |
| <input type="checkbox"/> | <b>402.222</b> | 22 mm | <input type="checkbox"/> | <b>402.246</b> | 46 mm |
| <input type="checkbox"/> | <b>402.224</b> | 24 mm | <input type="checkbox"/> | <b>402.248</b> | 48 mm |
| <input type="checkbox"/> | <b>402.226</b> | 26 mm | <input type="checkbox"/> | <b>402.250</b> | 50 mm |
| <input type="checkbox"/> | <b>402.228</b> | 28 mm | <input type="checkbox"/> | <b>402.255</b> | 55 mm |
| <input type="checkbox"/> | <b>402.230</b> | 30 mm | <input type="checkbox"/> | <b>402.260</b> | 60 mm |
| <input type="checkbox"/> | <b>402.232</b> | 32 mm |                          |                |       |

#### 4.0 mm Cancellous Bone Screw, Fully Threaded, 2.5 mm Hex Recess



- |                          |                |       |                          |                |       |
|--------------------------|----------------|-------|--------------------------|----------------|-------|
| <input type="checkbox"/> | <b>406.010</b> | 10 mm | <input type="checkbox"/> | <b>406.028</b> | 28 mm |
| <input type="checkbox"/> | <b>406.012</b> | 12 mm | <input type="checkbox"/> | <b>406.030</b> | 30 mm |
| <input type="checkbox"/> | <b>406.014</b> | 14 mm | <input type="checkbox"/> | <b>406.035</b> | 35 mm |
| <input type="checkbox"/> | <b>406.016</b> | 16 mm | <input type="checkbox"/> | <b>406.040</b> | 40 mm |
| <input type="checkbox"/> | <b>406.018</b> | 18 mm | <input type="checkbox"/> | <b>406.045</b> | 45 mm |
| <input type="checkbox"/> | <b>406.020</b> | 20 mm | <input type="checkbox"/> | <b>406.050</b> | 50 mm |
| <input type="checkbox"/> | <b>406.022</b> | 22 mm | <input type="checkbox"/> | <b>406.055</b> | 55 mm |
| <input type="checkbox"/> | <b>406.024</b> | 24 mm | <input type="checkbox"/> | <b>406.060</b> | 60 mm |
| <input type="checkbox"/> | <b>406.026</b> | 26 mm |                          |                |       |

#### 2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess



- |                          |                |       |                          |                |       |
|--------------------------|----------------|-------|--------------------------|----------------|-------|
| <input type="checkbox"/> | <b>402.870</b> | 10 mm | <input type="checkbox"/> | <b>402.894</b> | 34 mm |
| <input type="checkbox"/> | <b>402.872</b> | 12 mm | <input type="checkbox"/> | <b>402.896</b> | 36 mm |
| <input type="checkbox"/> | <b>402.874</b> | 14 mm | <input type="checkbox"/> | <b>402.898</b> | 38 mm |
| <input type="checkbox"/> | <b>402.876</b> | 16 mm | <input type="checkbox"/> | <b>402.900</b> | 40 mm |
| <input type="checkbox"/> | <b>402.878</b> | 18 mm | <input type="checkbox"/> | <b>402.962</b> | 42 mm |
| <input type="checkbox"/> | <b>402.880</b> | 20 mm | <input type="checkbox"/> | <b>402.963</b> | 44 mm |
| <input type="checkbox"/> | <b>402.882</b> | 22 mm | <input type="checkbox"/> | <b>402.965</b> | 46 mm |
| <input type="checkbox"/> | <b>402.884</b> | 24 mm | <input type="checkbox"/> | <b>402.966</b> | 48 mm |
| <input type="checkbox"/> | <b>402.886</b> | 26 mm | <input type="checkbox"/> | <b>402.967</b> | 50 mm |
| <input type="checkbox"/> | <b>402.888</b> | 28 mm | <input type="checkbox"/> | <b>402.968</b> | 55 mm |
| <input type="checkbox"/> | <b>402.890</b> | 30 mm | <input type="checkbox"/> | <b>402.969</b> | 60 mm |
| <input type="checkbox"/> | <b>402.892</b> | 32 mm |                          |                |       |

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Elbow Implant Set 01.133.412

### Implants (continued)

#### 2.7 mm Metaphyseal Screw, Self-Tapping, T8 StarDrive™ Recess



<input type="checkbox"/>	<b>04.118.510</b>	10 mm	<input type="checkbox"/>	<b>04.118.536</b>	36 mm
<input type="checkbox"/>	<b>04.118.512</b>	12 mm	<input type="checkbox"/>	<b>04.118.538</b>	38 mm
<input type="checkbox"/>	<b>04.118.514</b>	14 mm	<input type="checkbox"/>	<b>04.118.540</b>	40 mm
<input type="checkbox"/>	<b>04.118.516</b>	16 mm	<input type="checkbox"/>	<b>04.118.542</b>	42 mm
<input type="checkbox"/>	<b>04.118.518</b>	18 mm	<input type="checkbox"/>	<b>04.118.544</b>	44 mm
<input type="checkbox"/>	<b>04.118.520</b>	20 mm	<input type="checkbox"/>	<b>04.118.546</b>	46 mm
<input type="checkbox"/>	<b>04.118.522</b>	22 mm	<input type="checkbox"/>	<b>04.118.548</b>	48 mm
<input type="checkbox"/>	<b>04.118.524</b>	24 mm	<input type="checkbox"/>	<b>04.118.550</b>	50 mm
<input type="checkbox"/>	<b>04.118.526</b>	26 mm	<input type="checkbox"/>	<b>04.118.552</b>	52 mm
<input type="checkbox"/>	<b>04.118.528</b>	28 mm	<input type="checkbox"/>	<b>04.118.554</b>	54 mm
<input type="checkbox"/>	<b>04.118.530</b>	30 mm	<input type="checkbox"/>	<b>04.118.556</b>	56 mm
<input type="checkbox"/>	<b>04.118.532</b>	32 mm	<input type="checkbox"/>	<b>04.118.558</b>	58 mm
<input type="checkbox"/>	<b>04.118.534</b>	34 mm	<input type="checkbox"/>	<b>04.118.560</b>	60 mm

#### 3.5 mm Cortex Screw, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>404.810</b>	10 mm	<input type="checkbox"/>	<b>404.830</b>	30 mm
<input type="checkbox"/>	<b>404.812</b>	12 mm	<input type="checkbox"/>	<b>404.832</b>	32 mm
<input type="checkbox"/>	<b>404.814</b>	14 mm	<input type="checkbox"/>	<b>404.834</b>	34 mm
<input type="checkbox"/>	<b>404.816</b>	16 mm	<input type="checkbox"/>	<b>404.836</b>	36 mm
<input type="checkbox"/>	<b>404.818</b>	18 mm	<input type="checkbox"/>	<b>404.838</b>	38 mm
<input type="checkbox"/>	<b>404.820</b>	20 mm	<input type="checkbox"/>	<b>404.840</b>	40 mm
<input type="checkbox"/>	<b>404.822</b>	22 mm	<input type="checkbox"/>	<b>404.845</b>	45 mm
<input type="checkbox"/>	<b>404.824</b>	24 mm	<input type="checkbox"/>	<b>404.850</b>	50 mm
<input type="checkbox"/>	<b>404.826</b>	26 mm	<input type="checkbox"/>	<b>404.855</b>	55 mm
<input type="checkbox"/>	<b>404.828</b>	28 mm			

#### 3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess



<input type="checkbox"/>	<b>412.101</b>	10 mm	<input type="checkbox"/>	<b>412.116</b>	38 mm
<input type="checkbox"/>	<b>412.102</b>	12 mm	<input type="checkbox"/>	<b>412.117</b>	40 mm
<input type="checkbox"/>	<b>412.103</b>	14 mm	<input type="checkbox"/>	<b>412.118</b>	42 mm
<input type="checkbox"/>	<b>412.104</b>	16 mm	<input type="checkbox"/>	<b>412.134</b>	44 mm
<input type="checkbox"/>	<b>412.105</b>	18 mm	<input type="checkbox"/>	<b>412.119</b>	45 mm
<input type="checkbox"/>	<b>412.106</b>	20 mm	<input type="checkbox"/>	<b>412.136</b>	46 mm
<input type="checkbox"/>	<b>412.107</b>	22 mm	<input type="checkbox"/>	<b>412.120</b>	48 mm
<input type="checkbox"/>	<b>412.108</b>	24 mm	<input type="checkbox"/>	<b>412.121</b>	50 mm
<input type="checkbox"/>	<b>412.109</b>	26 mm	<input type="checkbox"/>	<b>412.122</b>	52 mm
<input type="checkbox"/>	<b>412.110</b>	28 mm	<input type="checkbox"/>	<b>04.212.054</b>	54 mm
<input type="checkbox"/>	<b>412.111</b>	30 mm	<input type="checkbox"/>	<b>412.123</b>	55 mm
<input type="checkbox"/>	<b>412.112</b>	32 mm	<input type="checkbox"/>	<b>04.212.056</b>	56 mm
<input type="checkbox"/>	<b>412.113</b>	34 mm	<input type="checkbox"/>	<b>04.212.058</b>	58 mm
<input type="checkbox"/>	<b>412.115</b>	36 mm	<input type="checkbox"/>	<b>412.124</b>	60 mm

### Instruments and Other Items

#### Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>03.133.100</b>	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	<b>03.133.101</b>	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	<b>03.133.102</b>	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.103</b>	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.105</b>	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.106</b>	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.107</b>	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.109</b>	3.5 mm Drill Bit, Quick Coupling, 60 mm	

#### Other Items

<input type="checkbox"/>	<b>492.16</b>	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	<b>492.20</b>	2.0 mm Kirschner Wire with trocar point, 150 mm	