

INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Universal Small Fragment System

LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.211

Case ID:

To Order (USA): (800) 523-0322
To Order (Canada): (844) 243-4321

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

Implants

3.5 mm LCP® Superior Anterior Clavicle Plate, with Lateral Extension

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.010** 4 holes, 81 mm, right
- 02.112.011** 4 holes, 81 mm, left
- 02.112.012** 5 holes, 94 mm, right
- 02.112.013** 5 holes, 94 mm, left
- 02.112.008** 6 holes, 108 mm, right
- 02.112.009** 6 holes, 108 mm, left



2.7 mm / 3.5 mm VALCP® Anterior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.046** 9 holes, 89 mm
- 02.112.047** 10 holes, 101 mm
- 02.112.048** 11 holes, 113 mm



3.5 mm LCP® Superior Anterior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.026** 6 holes, 94 mm, right
- 02.112.027** 6 holes, 94 mm, left
- 02.112.028** 7 holes, 110 mm, right
- 02.112.029** 7 holes, 110 mm, left
- 02.112.030** 8 holes, 120 mm, right
- 02.112.031** 8 holes, 120 mm, left



3.5 mm LCP® Superior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.080** 6 holes, 85 mm, right
- 02.112.081** 6 holes, 85 mm, left
- 02.112.082** 7 holes, 100 mm, right
- 02.112.083** 7 holes, 100 mm, left
- 02.112.084** 8 holes, 115 mm, right
- 02.112.085** 8 holes, 115 mm, left



3.5 mm LCP® Superior Clavicle Plate, with Lateral Extension

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.090** 6 holes, 105 mm, right
- 02.112.091** 6 holes, 105 mm, left
- 02.112.092** 7 holes, 120 mm, right
- 02.112.093** 7 holes, 120 mm, left
- 02.112.094** 8 holes, 130 mm, right
- 02.112.095** 8 holes, 130 mm, left



3.5 mm LCP® Periarticular Proximal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.123.020** 2 holes, 91mm, right
- 02.123.021** 2 holes, 91mm, left
- 02.123.040** 3 holes, 109mm, right
- 02.123.041** 3 holes, 109mm, left



INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Universal Small Fragment System

LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.211

Implants (continued)

3.5 mm LCP® Proximal Humerus Plate

Available nonsterile only

- 241.901** 3 holes, 90 mm, standard
- 241.903** 5 holes, 114 mm, standard

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 241.921** 8 holes, 196 mm, long




2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess



- 202.870** 10 mm
- 202.872** 12 mm
- 202.874** 14 mm
- 202.876** 16 mm
- 202.878** 18 mm
- 202.880** 20 mm
- 202.882** 22 mm
- 202.884** 24 mm
- 202.886** 26 mm
- 202.888** 28 mm
- 202.890** 30 mm
- 202.892** 32 mm

- 202.894** 34 mm
- 202.896** 36 mm
- 202.898** 38 mm
- 202.900** 40 mm
- 202.962** 42 mm
- 202.963** 44 mm
- 202.965** 46 mm
- 202.966** 48 mm
- 202.967** 50 mm
- 202.968** 55 mm
- 202.969** 60 mm

2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- | | |
|---|---|
| <input type="checkbox"/> 202.210 10 mm | <input type="checkbox"/> 202.234 34 mm |
| <input type="checkbox"/> 202.212 12 mm | <input type="checkbox"/> 202.236 36 mm |
| <input type="checkbox"/> 202.214 14 mm | <input type="checkbox"/> 202.238 38 mm |
| <input type="checkbox"/> 202.216 16 mm | <input type="checkbox"/> 202.240 40 mm |
| <input type="checkbox"/> 202.218 18 mm | <input type="checkbox"/> 202.242 42 mm |
| <input type="checkbox"/> 202.220 20 mm | <input type="checkbox"/> 202.244 44 mm |
| <input type="checkbox"/> 202.222 22 mm | <input type="checkbox"/> 202.246 46 mm |
| <input type="checkbox"/> 202.224 24 mm | <input type="checkbox"/> 202.248 48 mm |
| <input type="checkbox"/> 202.226 26 mm | <input type="checkbox"/> 202.250 50 mm |
| <input type="checkbox"/> 202.228 28 mm | <input type="checkbox"/> 202.255 55 mm |
| <input type="checkbox"/> 202.230 30 mm | <input type="checkbox"/> 202.260 60 mm |
| <input type="checkbox"/> 202.232 32 mm | |

3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess



- | | |
|---|--|
| <input type="checkbox"/> 212.101 10 mm | <input type="checkbox"/> 212.116 38 mm |
| <input type="checkbox"/> 212.102 12 mm | <input type="checkbox"/> 212.117 40 mm |
| <input type="checkbox"/> 212.103 14 mm | <input type="checkbox"/> 212.118 42 mm |
| <input type="checkbox"/> 212.104 16 mm | <input type="checkbox"/> 212.134 44 mm |
| <input type="checkbox"/> 212.105 18 mm | <input type="checkbox"/> 212.119 45 mm |
| <input type="checkbox"/> 212.106 20 mm | <input type="checkbox"/> 212.136 46 mm |
| <input type="checkbox"/> 212.107 22 mm | <input type="checkbox"/> 212.120 48 mm |
| <input type="checkbox"/> 212.108 24 mm | <input type="checkbox"/> 212.121 50 mm |
| <input type="checkbox"/> 212.109 26 mm | <input type="checkbox"/> 212.122 52 mm |
| <input type="checkbox"/> 212.110 28 mm | <input type="checkbox"/> 02.212.054 54 mm |
| <input type="checkbox"/> 212.111 30 mm | <input type="checkbox"/> 212.123 55 mm |
| <input type="checkbox"/> 212.112 32 mm | <input type="checkbox"/> 02.212.056 56 mm |
| <input type="checkbox"/> 212.113 34 mm | <input type="checkbox"/> 02.212.058 58 mm |
| <input type="checkbox"/> 212.115 36 mm | <input type="checkbox"/> 212.124 60 mm |

2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- | | |
|--|--|
| <input type="checkbox"/> 02.211.010 10 mm | <input type="checkbox"/> 02.211.036 36 mm |
| <input type="checkbox"/> 02.211.012 12 mm | <input type="checkbox"/> 02.211.038 38 mm |
| <input type="checkbox"/> 02.211.014 14 mm | <input type="checkbox"/> 02.211.040 40 mm |
| <input type="checkbox"/> 02.211.016 16 mm | <input type="checkbox"/> 02.211.042 42 mm |
| <input type="checkbox"/> 02.211.018 18 mm | <input type="checkbox"/> 02.211.044 44 mm |
| <input type="checkbox"/> 02.211.020 20 mm | <input type="checkbox"/> 02.211.046 46 mm |
| <input type="checkbox"/> 02.211.022 22 mm | <input type="checkbox"/> 02.211.048 48 mm |
| <input type="checkbox"/> 02.211.024 24 mm | <input type="checkbox"/> 02.211.050 50 mm |
| <input type="checkbox"/> 02.211.026 26 mm | <input type="checkbox"/> 02.211.052 52 mm |
| <input type="checkbox"/> 02.211.028 28 mm | <input type="checkbox"/> 02.211.054 54 mm |
| <input type="checkbox"/> 02.211.030 30 mm | <input type="checkbox"/> 02.211.056 56 mm |
| <input type="checkbox"/> 02.211.032 32 mm | <input type="checkbox"/> 02.211.058 58 mm |
| <input type="checkbox"/> 02.211.034 34 mm | <input type="checkbox"/> 02.211.060 60 mm |

INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Universal Small Fragment System

LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.211

Implants (continued)

3.5 mm Variable Angle Locking Screw, Self-Tapping, T15 StarDrive™ Recess



<input type="checkbox"/>	02.127.110	10 mm	<input type="checkbox"/>	02.127.136	36 mm
<input type="checkbox"/>	02.127.112	12 mm	<input type="checkbox"/>	02.127.138	38 mm
<input type="checkbox"/>	02.127.114	14 mm	<input type="checkbox"/>	02.127.140	40 mm
<input type="checkbox"/>	02.127.116	16 mm	<input type="checkbox"/>	02.127.142	42 mm
<input type="checkbox"/>	02.127.118	18 mm	<input type="checkbox"/>	02.127.144	44 mm
<input type="checkbox"/>	02.127.120	20 mm	<input type="checkbox"/>	02.127.146	46 mm
<input type="checkbox"/>	02.127.122	22 mm	<input type="checkbox"/>	02.127.148	48 mm
<input type="checkbox"/>	02.127.124	24 mm	<input type="checkbox"/>	02.127.150	50 mm
<input type="checkbox"/>	02.127.126	26 mm	<input type="checkbox"/>	02.127.152	52 mm
<input type="checkbox"/>	02.127.128	28 mm	<input type="checkbox"/>	02.127.154	54 mm
<input type="checkbox"/>	02.127.130	30 mm	<input type="checkbox"/>	02.127.156	56 mm
<input type="checkbox"/>	02.127.132	32 mm	<input type="checkbox"/>	02.127.158	58 mm
<input type="checkbox"/>	02.127.134	34 mm	<input type="checkbox"/>	02.127.160	60 mm

4.0 mm Cancellous Bone Screw, Fully Threaded, 2.5 mm Hex Recess



<input type="checkbox"/>	206.010	10 mm	<input type="checkbox"/>	206.028	28 mm
<input type="checkbox"/>	206.012	12 mm	<input type="checkbox"/>	206.030	30 mm
<input type="checkbox"/>	206.014	14 mm	<input type="checkbox"/>	206.035	35 mm
<input type="checkbox"/>	206.016	16 mm	<input type="checkbox"/>	206.040	40 mm
<input type="checkbox"/>	206.018	18 mm	<input type="checkbox"/>	206.045	45 mm
<input type="checkbox"/>	206.020	20 mm	<input type="checkbox"/>	206.050	50 mm
<input type="checkbox"/>	206.022	22 mm	<input type="checkbox"/>	206.055	55 mm
<input type="checkbox"/>	206.024	24 mm	<input type="checkbox"/>	206.060	60 mm
<input type="checkbox"/>	206.026	26 mm			

Instruments and Other Items

3.5 mm Cortex Screw, 2.5 mm Hex Recess



<input type="checkbox"/>	204.810	10 mm	<input type="checkbox"/>	204.834	34 mm
<input type="checkbox"/>	204.812	12 mm	<input type="checkbox"/>	204.836	36 mm
<input type="checkbox"/>	204.814	14 mm	<input type="checkbox"/>	204.838	38 mm
<input type="checkbox"/>	204.816	16 mm	<input type="checkbox"/>	204.840	40 mm
<input type="checkbox"/>	204.818	18 mm	<input type="checkbox"/>	204.842	42 mm
<input type="checkbox"/>	204.820	20 mm	<input type="checkbox"/>	204.844	44 mm
<input type="checkbox"/>	204.822	22 mm	<input type="checkbox"/>	204.845	45 mm
<input type="checkbox"/>	204.824	24 mm	<input type="checkbox"/>	204.846	46 mm
<input type="checkbox"/>	204.826	26 mm	<input type="checkbox"/>	204.848	48 mm
<input type="checkbox"/>	204.828	28 mm	<input type="checkbox"/>	204.850	50 mm
<input type="checkbox"/>	204.830	30 mm	<input type="checkbox"/>	204.855	55 mm
<input type="checkbox"/>	204.832	32 mm	<input type="checkbox"/>	204.860	60 mm

Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	03.133.100	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	03.133.101	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	03.133.102	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.103	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	03.133.105	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.106	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	03.133.107	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	03.133.109	3.5 mm Drill Bit, Quick Coupling, 60 mm	

Other Items

<input type="checkbox"/>	292.16	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	292.20	2.0 mm Kirschner Wire with trocar point, 150 mm	