

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.411

**Case ID:**

**To Order (USA): (800) 523-0322**  
**To Order (Canada): (844) 243-4321**

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

### Implants

#### 2.7 mm / 3.5 mm LCP® Superior Anterior Clavicle Plate, with Lateral Extension

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.112.010** 4 holes, 81 mm, right
- 04.112.011** 4 holes, 81 mm, left
- 04.112.012** 5 holes, 94 mm, right
- 04.112.013** 5 holes, 94 mm, left
- 04.112.008** 6 holes, 108 mm, right
- 04.112.009** 6 holes, 108 mm, left



#### 3.5 mm LCP® Superior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.112.080** 6 holes, 85 mm, right
- 04.112.081** 6 holes, 85 mm, left
- 04.112.082** 7 holes, 100 mm, right
- 04.112.083** 7 holes, 100 mm, left
- 04.112.084** 8 holes, 115 mm, right
- 04.112.085** 8 holes, 115 mm, left



#### 3.5 mm LCP® Superior Anterior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.112.026** 6 holes, 94 mm, right
- 04.112.027** 6 holes, 94 mm, left
- 04.112.028** 7 holes, 110 mm, right
- 04.112.029** 7 holes, 110 mm, left
- 04.112.030** 8 holes, 120 mm, right
- 04.112.031** 8 holes, 120 mm, left



#### 3.5 mm LCP® Superior Clavicle Plate, with Lateral Extension

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.112.090** 6 holes, 105 mm, right
- 04.112.091** 6 holes, 105 mm, left
- 04.112.092** 7 holes, 120 mm, right
- 04.112.093** 7 holes, 120 mm, left
- 04.112.094** 8 holes, 130 mm, right
- 04.112.095** 8 holes, 130 mm, left



#### 2.7 mm / 3.5 mm VA LCP® Anterior Clavicle Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 02.112.046** 9 holes, 89 mm
- 02.112.047** 10 holes, 101 mm
- 02.112.048** 11 holes, 113 mm



#### 3.5 mm LCP® Periarticular Proximal Humerus Plate

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 04.123.020** 2 holes, 91mm, right
- 04.123.021** 2 holes, 91mm, left
- 04.123.040** 3 holes, 109mm, right
- 04.123.041** 3 holes, 109mm, left



# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.411

### Implants (continued)

#### 3.5 mm LCP® Proximal Humerus Plate

Available nonsterile only

- 441.901** 3 holes, 90 mm, standard
- 441.903** 5 holes, 114 mm, standard

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

- 441.921** 8 holes, 196 mm, long




#### 2.7 mm Cortex Screw, Self-Tapping, T8 StarDrive™ Recess



- 402.870** 10 mm
- 402.872** 12 mm
- 402.874** 14 mm
- 402.876** 16 mm
- 402.878** 18 mm
- 402.880** 20 mm
- 402.882** 22 mm
- 402.884** 24 mm
- 402.886** 26 mm
- 402.888** 28 mm
- 402.890** 30 mm
- 402.892** 32 mm

- 402.894** 34 mm
- 402.896** 36 mm
- 402.898** 38 mm
- 402.900** 40 mm
- 402.962** 42 mm
- 402.963** 44 mm
- 402.965** 46 mm
- 402.966** 48 mm
- 402.967** 50 mm
- 402.968** 55 mm
- 402.969** 60 mm

#### 2.7 mm Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- |   |   |
|---|---|
| <input type="checkbox"/> <b>402.210</b> 10 mm | <input type="checkbox"/> <b>402.234</b> 34 mm |
| <input type="checkbox"/> <b>402.212</b> 12 mm | <input type="checkbox"/> <b>402.236</b> 36 mm |
| <input type="checkbox"/> <b>402.214</b> 14 mm | <input type="checkbox"/> <b>402.238</b> 38 mm |
| <input type="checkbox"/> <b>402.216</b> 16 mm | <input type="checkbox"/> <b>402.240</b> 40 mm |
| <input type="checkbox"/> <b>402.218</b> 18 mm | <input type="checkbox"/> <b>402.242</b> 42 mm |
| <input type="checkbox"/> <b>402.220</b> 20 mm | <input type="checkbox"/> <b>402.244</b> 44 mm |
| <input type="checkbox"/> <b>402.222</b> 22 mm | <input type="checkbox"/> <b>402.246</b> 46 mm |
| <input type="checkbox"/> <b>402.224</b> 24 mm | <input type="checkbox"/> <b>402.248</b> 48 mm |
| <input type="checkbox"/> <b>402.226</b> 26 mm | <input type="checkbox"/> <b>402.250</b> 50 mm |
| <input type="checkbox"/> <b>402.228</b> 28 mm | <input type="checkbox"/> <b>402.255</b> 55 mm |
| <input type="checkbox"/> <b>402.230</b> 30 mm | <input type="checkbox"/> <b>402.260</b> 60 mm |
| <input type="checkbox"/> <b>402.232</b> 32 mm |   |

#### 3.5 mm Locking Screw, Self-Tapping, T15 StarDrive™ Recess



- |   |  |
|---|--|
| <input type="checkbox"/> <b>412.101</b> 10 mm | <input type="checkbox"/> <b>412.116</b> 38 mm    |
| <input type="checkbox"/> <b>412.102</b> 12 mm | <input type="checkbox"/> <b>412.117</b> 40 mm    |
| <input type="checkbox"/> <b>412.103</b> 14 mm | <input type="checkbox"/> <b>412.118</b> 42 mm    |
| <input type="checkbox"/> <b>412.104</b> 16 mm | <input type="checkbox"/> <b>412.134</b> 44 mm    |
| <input type="checkbox"/> <b>412.105</b> 18 mm | <input type="checkbox"/> <b>412.119</b> 45 mm    |
| <input type="checkbox"/> <b>412.106</b> 20 mm | <input type="checkbox"/> <b>412.136</b> 46 mm    |
| <input type="checkbox"/> <b>412.107</b> 22 mm | <input type="checkbox"/> <b>412.120</b> 48 mm    |
| <input type="checkbox"/> <b>412.108</b> 24 mm | <input type="checkbox"/> <b>412.121</b> 50 mm    |
| <input type="checkbox"/> <b>412.109</b> 26 mm | <input type="checkbox"/> <b>412.122</b> 52 mm    |
| <input type="checkbox"/> <b>412.110</b> 28 mm | <input type="checkbox"/> <b>04.212.054</b> 54 mm |
| <input type="checkbox"/> <b>412.111</b> 30 mm | <input type="checkbox"/> <b>412.123</b> 55 mm    |
| <input type="checkbox"/> <b>412.112</b> 32 mm | <input type="checkbox"/> <b>04.212.056</b> 56 mm |
| <input type="checkbox"/> <b>412.113</b> 34 mm | <input type="checkbox"/> <b>04.212.058</b> 58 mm |
| <input type="checkbox"/> <b>412.115</b> 36 mm | <input type="checkbox"/> <b>412.124</b> 60 mm    |

#### 2.7 mm Variable Angle Locking Screw, Self-Tapping, T8 StarDrive™ Recess



- |  |  |
|--|--|
| <input type="checkbox"/> <b>04.211.010</b> 10 mm | <input type="checkbox"/> <b>04.211.036</b> 36 mm |
| <input type="checkbox"/> <b>04.211.012</b> 12 mm | <input type="checkbox"/> <b>04.211.038</b> 38 mm |
| <input type="checkbox"/> <b>04.211.014</b> 14 mm | <input type="checkbox"/> <b>04.211.040</b> 40 mm |
| <input type="checkbox"/> <b>04.211.016</b> 16 mm | <input type="checkbox"/> <b>04.211.042</b> 42 mm |
| <input type="checkbox"/> <b>04.211.018</b> 18 mm | <input type="checkbox"/> <b>04.211.044</b> 44 mm |
| <input type="checkbox"/> <b>04.211.020</b> 20 mm | <input type="checkbox"/> <b>04.211.046</b> 46 mm |
| <input type="checkbox"/> <b>04.211.022</b> 22 mm | <input type="checkbox"/> <b>04.211.048</b> 48 mm |
| <input type="checkbox"/> <b>04.211.024</b> 24 mm | <input type="checkbox"/> <b>04.211.050</b> 50 mm |
| <input type="checkbox"/> <b>04.211.026</b> 26 mm | <input type="checkbox"/> <b>04.211.052</b> 52 mm |
| <input type="checkbox"/> <b>04.211.028</b> 28 mm | <input type="checkbox"/> <b>04.211.054</b> 54 mm |
| <input type="checkbox"/> <b>04.211.030</b> 30 mm | <input type="checkbox"/> <b>04.211.056</b> 56 mm |
| <input type="checkbox"/> <b>04.211.032</b> 32 mm | <input type="checkbox"/> <b>04.211.058</b> 58 mm |
| <input type="checkbox"/> <b>04.211.034</b> 34 mm | <input type="checkbox"/> <b>04.211.060</b> 60 mm |

# INVENTORY CONTROL FORM



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

## Universal Small Fragment System

Titanium LCP® and VA LCP® Shoulder / Clavicle Implant Set 01.133.411

### Implants (continued)

#### 3.5 mm Cortex Screw, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>404.810</b>	10 mm	<input type="checkbox"/>	<b>404.830</b>	30 mm
<input type="checkbox"/>	<b>404.812</b>	12 mm	<input type="checkbox"/>	<b>404.832</b>	32 mm
<input type="checkbox"/>	<b>404.814</b>	14 mm	<input type="checkbox"/>	<b>404.834</b>	34 mm
<input type="checkbox"/>	<b>404.816</b>	16 mm	<input type="checkbox"/>	<b>404.836</b>	36 mm
<input type="checkbox"/>	<b>404.818</b>	18 mm	<input type="checkbox"/>	<b>404.838</b>	38 mm
<input type="checkbox"/>	<b>404.820</b>	20 mm	<input type="checkbox"/>	<b>404.840</b>	40 mm
<input type="checkbox"/>	<b>404.822</b>	22 mm	<input type="checkbox"/>	<b>404.845</b>	45 mm
<input type="checkbox"/>	<b>404.824</b>	24 mm	<input type="checkbox"/>	<b>404.850</b>	50 mm
<input type="checkbox"/>	<b>404.826</b>	26 mm	<input type="checkbox"/>	<b>404.855</b>	55 mm
<input type="checkbox"/>	<b>404.828</b>	28 mm			

#### 4.0 mm Cancellous Bone Screw, Fully Threaded, 2.5 mm Hex Recess



<input type="checkbox"/>	<b>406.010</b>	10 mm	<input type="checkbox"/>	<b>406.028</b>	28 mm
<input type="checkbox"/>	<b>406.012</b>	12 mm	<input type="checkbox"/>	<b>406.030</b>	30 mm
<input type="checkbox"/>	<b>406.014</b>	14 mm	<input type="checkbox"/>	<b>406.035</b>	35 mm
<input type="checkbox"/>	<b>406.016</b>	16 mm	<input type="checkbox"/>	<b>406.040</b>	40 mm
<input type="checkbox"/>	<b>406.018</b>	18 mm	<input type="checkbox"/>	<b>406.045</b>	45 mm
<input type="checkbox"/>	<b>406.020</b>	20 mm	<input type="checkbox"/>	<b>406.050</b>	50 mm
<input type="checkbox"/>	<b>406.022</b>	22 mm	<input type="checkbox"/>	<b>406.055</b>	55 mm
<input type="checkbox"/>	<b>406.024</b>	24 mm	<input type="checkbox"/>	<b>406.060</b>	60 mm
<input type="checkbox"/>	<b>406.026</b>	26 mm			

### Instruments and Other Items

#### Drill Bits

Available nonsterile or sterile-packed. Add "S" to catalog number to order sterile product.

<input type="checkbox"/>	<b>03.133.100</b>	2.0 mm Drill Bit, Quick Coupling, 30 mm	
<input type="checkbox"/>	<b>03.133.101</b>	2.0 mm Drill Bit, Quick Coupling, 60 mm	
<input type="checkbox"/>	<b>03.133.102</b>	2.5 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.103</b>	2.5 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.105</b>	2.7 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.106</b>	2.8 mm Drill Bit, Quick Coupling, 45 mm	
<input type="checkbox"/>	<b>03.133.107</b>	2.8 mm Drill Bit, Quick Coupling, 80 mm	
<input type="checkbox"/>	<b>03.133.109</b>	3.5 mm Drill Bit, Quick Coupling, 60 mm	

#### Other Items

<input type="checkbox"/>	<b>292.16</b>	1.6 mm Kirschner Wire with trocar point, 150 mm	
<input type="checkbox"/>	<b>292.20</b>	2.0 mm Kirschner Wire with trocar point, 150 mm	