

# INVENTORY CONTROL FORM

## RFN-Advanced™ Retrograde Femoral Nail System

Case Information (eg, Case ID):

DO NOT PUT ANY  
PATIENT IDENTIFIABLE  
INFORMATION IN THIS FIELD

To order (USA): 800-523-0322

To order (Canada): 844-243-4321

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

### Implants

#### RFN-Advanced System ∅ 9 mm Diameter Nail, Sterile

5° Bend	10° Bend	Length (mm)
04.233.916S	04.233.917S	160 mm
04.233.920S	04.233.921S	200 mm
04.233.924S	04.233.925S	240 mm
04.233.928S	04.233.929S	280 mm
04.233.930S	04.233.931S	300 mm
04.233.932S	04.233.933S	320 mm
04.233.934S	04.233.935S	340 mm
04.233.936S	04.233.937S	360 mm
04.233.938S	04.233.939S	380 mm
04.233.940S	04.233.941S	400 mm
04.233.942S	04.233.943S	420 mm
04.233.944S	04.233.945S	440 mm
04.233.946S	04.233.947S	460 mm
04.233.948S	04.233.949S	480 mm

#### RFN-Advanced System ∅ 10 mm Diameter Nail, Sterile

5° Bend	10° Bend	Length (mm)
04.233.016S	04.233.017S	160 mm
04.233.020S	04.233.021S	200 mm
04.233.024S	04.233.025S	240 mm
04.233.028S	04.233.029S	280 mm
04.233.030S	04.233.031S	300 mm
04.233.032S	04.233.033S	320 mm
04.233.034S	04.233.035S	340 mm
04.233.036S	04.233.037S	360 mm
04.233.038S	04.233.039S	380 mm
04.233.040S	04.233.041S	400 mm
04.233.042S	04.233.043S	420 mm
04.233.044S	04.233.045S	440 mm
04.233.046S	04.233.047S	460 mm
04.233.048S	04.233.049S	480 mm

#### RFN-Advanced System ∅ 11 mm Diameter Nail, Sterile

5° Bend	10° Bend	Length (mm)
04.233.116S	04.233.117S	160 mm
04.233.120S	04.233.121S	200 mm
04.233.124S	04.233.125S	240 mm
04.233.128S	04.233.129S	280 mm
04.233.130S	04.233.131S	300 mm
04.233.132S	04.233.133S	320 mm
04.233.134S	04.233.135S	340 mm
04.233.136S	04.233.137S	360 mm
04.233.138S	04.233.139S	380 mm
04.233.140S	04.233.141S	400 mm
04.233.142S	04.233.143S	420 mm
04.233.144S	04.233.145S	440 mm
04.233.146S	04.233.147S	460 mm
04.233.148S	04.233.149S	480 mm

#### RFN-Advanced System ∅ 12 mm Diameter Nail, Sterile

5° Bend	10° Bend	Length (mm)
04.233.216S	04.233.217S	160 mm
04.233.220S	04.233.221S	200 mm
04.233.224S	04.233.225S	240 mm
04.233.228S	04.233.229S	280 mm
04.233.230S	04.233.231S	300 mm
04.233.232S	04.233.233S	320 mm
04.233.234S	04.233.235S	340 mm
04.233.236S	04.233.237S	360 mm
04.233.238S	04.233.239S	380 mm
04.233.240S	04.233.241S	400 mm
04.233.242S	04.233.243S	420 mm
04.233.244S	04.233.245S	440 mm
04.233.246S	04.233.247S	460 mm
04.233.248S	04.233.249S	480 mm



# INVENTORY CONTROL FORM

## RFN-Advanced Retrograde Femoral Nail System

### Implants (continued)

◊ Available non-sterile and sterile packed.  
Add "TS" to catalog number to order Sterile Tube product.

#### RFN-Advanced System Ø 14 mm Diameter Nail, Sterile



	5° Bend	Length (mm)
	04.233.428S	280 mm
	04.233.430S	300 mm
	04.233.432S	320 mm
	04.233.434S	340 mm
	04.233.436S	360 mm
	04.233.438S	380 mm
	04.233.400S	420 mm
	04.233.420S	420 mm
	04.233.440S	440 mm
	04.233.460S	460 mm
	04.233.480S	480 mm

#### End Caps, for RFNA, Sterile



	Part #	Extension (mm)
	04.233.000S	0 mm
	04.233.005S	5 mm
	04.233.010S	10 mm

#### Nuts and Washers, Sterile



	Part #	Description
	04.045.780S	Washer for Screw Ø 14/7 mm
	04.045.781S	Nut Ø 14 mm
	04.045.782S	Washer for Nut Ø 17.5/11.8 mm

#### Ø 5 mm Locking Screws for IM Nails



	Locking Screws ◊	Low Profile Locking Screws ◊	Length (mm)
	04.045.026	04.045.326	26 mm
	04.045.028	04.045.328	28 mm
	04.045.030	04.045.330	30 mm
	04.045.032	04.045.332	32 mm
	04.045.034	04.045.334	34 mm
	04.045.036	04.045.336	36 mm
	04.045.038	04.045.338	38 mm
	04.045.040	04.045.340	40 mm
	04.045.042	04.045.342	42 mm
	04.045.044	04.045.344	44 mm
	04.045.046	04.045.346	46 mm
	04.045.048	04.045.348	48 mm
	04.045.050	04.045.350	50 mm
	04.045.052	04.045.352	52 mm
	04.045.054	04.045.354	54 mm
	04.045.056	04.045.356	56 mm
	04.045.058	04.045.358	58 mm
	04.045.060	04.045.360	60 mm
	04.045.062	04.045.362	62 mm
	04.045.064	04.045.364	64 mm
	04.045.066	04.045.366	66 mm
	04.045.068	04.045.368	68 mm
	04.045.070	04.045.370	70 mm
	04.045.072	04.045.372	72 mm
	04.045.074	04.045.374	74 mm
	04.045.076	04.045.376	76 mm
	04.045.078	04.045.378	78 mm
	04.045.080	04.045.380	80 mm
	04.045.082	04.045.382	82 mm
	04.045.084	04.045.384	84 mm
	04.045.086	04.045.386	86 mm
	04.045.088	04.045.388	88 mm
	04.045.090	04.045.390	90 mm
	04.045.095	04.045.395	95 mm
	04.045.100	04.045.400	100 mm
	04.045.105	04.045.405	105 mm
	04.045.110	04.045.410	110 mm
	04.045.115	04.045.415	115 mm
	04.045.120	04.045.420	120 mm

## RFN-Advanced Retrograde Femoral Nail System

### Implants (continued)

°Available non-sterile and sterile packed. Add "TS" to catalog number to order Sterile Tube product.

\*Available sterile packed only. Add "S" to catalog number to order sterile blister-packed product. Add "TS" to catalog number to order Sterile tube product.

#### RFN-Advanced System Locking Attachment Washer (LAW), Sterile

Part #			
<input type="checkbox"/>	02.233.100S	5°	Right
<input type="checkbox"/>	02.233.101S	5°	Left
<input type="checkbox"/>	02.233.104S	10°	Right
<input type="checkbox"/>	02.233.105S	10°	Left



#### Drill Bit

Part #	
<input type="checkbox"/>	03.133.108 Ø 2.8 mm Drill Bit, 110 mm Calibration, QC
<input type="checkbox"/>	03.133.108S Ø 2.8 mm Drill Bit, 110 mm Calibration, QC, Sterile



#### Locking Screws for use with Locking Attachment Washer



OPTILINK™ 5.0 mm VA<sup>°</sup>  
Locking Screws



3.5 mm Variable Angle<sup>°</sup>  
Locking Screws

Part #		Length (mm)	Part #		Length (mm)
<input type="checkbox"/>	42.231.214	14 mm	<input type="checkbox"/>	02.127.114	14 mm
<input type="checkbox"/>	42.231.216	16 mm	<input type="checkbox"/>	02.127.116	16 mm
<input type="checkbox"/>	42.231.218	18 mm	<input type="checkbox"/>	02.127.118	18 mm
<input type="checkbox"/>	42.231.220	20 mm	<input type="checkbox"/>	02.127.120	20 mm
<input type="checkbox"/>	42.231.222	22 mm	<input type="checkbox"/>	02.127.122	22 mm
<input type="checkbox"/>	42.231.224	24 mm	<input type="checkbox"/>	02.127.124	24 mm
<input type="checkbox"/>	42.231.226	26 mm	<input type="checkbox"/>	02.127.126	26 mm
<input type="checkbox"/>	42.231.228	28 mm	<input type="checkbox"/>	02.127.128	28 mm
<input type="checkbox"/>	42.231.230	30 mm	<input type="checkbox"/>	02.127.130	30 mm
<input type="checkbox"/>	42.231.232	32 mm	<input type="checkbox"/>	02.127.132	32 mm
<input type="checkbox"/>	42.231.234	34 mm	<input type="checkbox"/>	02.127.134	34 mm
<input type="checkbox"/>	42.231.236	36 mm	<input type="checkbox"/>	02.127.136	36 mm
<input type="checkbox"/>	42.231.238	38 mm	<input type="checkbox"/>	02.127.138	38 mm
<input type="checkbox"/>	42.231.240	40 mm	<input type="checkbox"/>	02.127.140	40 mm
<input type="checkbox"/>	42.231.242	42 mm	<input type="checkbox"/>	02.127.142	42 mm
<input type="checkbox"/>	42.231.244	44 mm	<input type="checkbox"/>	02.127.144	44 mm
<input type="checkbox"/>	42.231.246	46 mm	<input type="checkbox"/>	02.127.146	46 mm
<input type="checkbox"/>	42.231.248	48 mm	<input type="checkbox"/>	02.127.148	48 mm
<input type="checkbox"/>	42.231.250	50 mm	<input type="checkbox"/>	02.127.150	50 mm
<input type="checkbox"/>	42.231.255	55 mm	<input type="checkbox"/>	02.127.155	55 mm
<input type="checkbox"/>	42.231.260	60 mm	<input type="checkbox"/>	02.127.160	60 mm
<input type="checkbox"/>	42.231.265	65 mm	<input type="checkbox"/>	02.127.165	65 mm
<input type="checkbox"/>	42.231.270	70 mm	<input type="checkbox"/>	02.127.170	70 mm
<input type="checkbox"/>	42.231.275	75 mm	<input type="checkbox"/>	02.127.175	75 mm
<input type="checkbox"/>	42.231.280	80 mm	<input type="checkbox"/>	02.127.180	80 mm
<input type="checkbox"/>	42.231.285	85 mm	<input type="checkbox"/>	02.127.185	85 mm
<input type="checkbox"/>	42.231.290	90 mm	<input type="checkbox"/>	02.127.190	90 mm
<input type="checkbox"/>	42.231.295*	95 mm	<input type="checkbox"/>	02.127.195	95 mm
<input type="checkbox"/>	42.231.300*	100 mm			
<input type="checkbox"/>	42.231.305*	105 mm			

# INVENTORY CONTROL FORM

## RFN-Advanced Retrograde Femoral Nail System









PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

### Instruments

◊ Available non sterile and sterile packed.  
Add "S" to catalog number to order sterile product.

#### Drill Bits◊

Part #	Description
<input type="checkbox"/> 03.233.001 ◊	∅ 12.8 mm Drill Bit, Cannulated, Large QC
	
<input type="checkbox"/> 03.233.002 ◊	∅ 11.2 mm Drill Bit, Cannulated, Large QC
	
<input type="checkbox"/> 03.010.061 ◊	∅ 4.2 mm Drill Bit, 100 mm Calibration, QC
	
<input type="checkbox"/> 03.045.022 ◊	∅ 4.2 mm Drill Bit, Calibrated, QC, Extra Long
	

Part #	Description
<input type="checkbox"/> 03.010.101 ◊	∅ 4.2 mm Drill Bit, Length 145 mm, with Coupling for RDL
	
<input type="checkbox"/> 03.010.104 ◊	∅ 4.2 mm Drill Bit, Length 145 mm, Quick Coupling
	

#### Reaming and Guide Rods

Part #	Description
<input type="checkbox"/> 351.704S	2.5 mm Reaming Rod w/Ball Tip and Extension, 1150 mm, Sterile
<input type="checkbox"/> 351.706S	2.5 mm Reaming Rod w/Ball Tip, 950 mm, Sterile
<input type="checkbox"/> 351.707S	2.5 mm Reaming Rod w/Ball Tip and Extension, 950 mm, Sterile
<input type="checkbox"/> 351.708S	2.5 mm Reaming Rod w/Ball Tip, 1150 mm, Sterile
<input type="checkbox"/> 03.233.010S	3.0 mm Reaming Rod w/3.8 mm Ball Tip, 950 mm, Sterile
<input type="checkbox"/> 03.233.011S	3.0 mm Reaming Rod w/3.8 mm Ball Tip, 1150 mm, Sterile

#### Guide Wires

Part #	Description
<input type="checkbox"/> 357.399	3.2 mm Guide Wire, 400 mm
<input type="checkbox"/> 03.045.018◊	3.2 mm Guide Wire, Drill Tip, 400 mm



PART OF THE *Johnson & Johnson* FAMILY OF COMPANIES

Manufactured or distributed by:

**Synthes USA Products, LLC**  
1302 Wrights Lane East  
West Chester, PA 19380

**Synthes USA, LLC**  
1101 Synthes Avenue  
Monument, CO 80132

To order (USA): 800-523-0322  
To order (Canada): 844-243-4321

Note: For recognized manufacturer, refer to the product label.

[www.jnjmedicaldevices.com](http://www.jnjmedicaldevices.com)

© DePuy Synthes 2020. All rights reserved.